

# TECHNICAL REPORT OF GREEN CAMPUS AUDIT



*Submitted to*

**YENEPOYA (DEEMED TO BE UNIVERSITY)  
MANGALORE – 575 018, KARNATAKA, INDIA.**

*Date of Audit: 22.12.2022*

*Submitted by*



## **NATURE SCIENCE FOUNDATION**

***(A Unique Research and Development Centre for Society Improvement)***

***[ISO QMS (9001:2015), EMS (14001:2015), OHSMS (45001:2018) &  
EnMS (50001:2018) Certified and Ministry of MSME Registered Organization]***

**2669, LIG-II, Gandhi Managar, Peelamedu  
Coimbatore - 641 004, Tamil Nadu, India.**

**Phone: 0422 2510006, Mobile: 9566777255, 9566777258**

**Email: [director@nsfonline.org.in](mailto:director@nsfonline.org.in), [directornsf@gmail.com](mailto:directornsf@gmail.com)**

## Contents

S.No.	Details of Reports	Page No
1.	Introduction	1
2.	Role of Educational Institutions in India	1
3.	Green Campus and Environment Policy	2
4.	Environment Friendly Campus	2
5.	Aims and Objectives of Green Campus Audit	3
6.	Importance of Green Auditing	3
7.	Benefits of the Green Auditing	4
8.	About the Organization	6
9.	Audit Details	10
10.	Procedures followed in Green Campus Audit	11
11.	Identification of Plant Species in the Yenepoya (Deemed to be University)	17
11.1.	Identification of Flowering Plant Species	17
11.2.	Identification of Non-Flowering Plant Species	17
12.	Identification of Mammals, Birds, Reptiles, Amphibians and Termites	18
13.	Green Campus Audit Observations	19
13.1.	Qualitative Measurements	20
13.2.	Quantitative Measurements	22
13.3.	Flora and Fauna diversity in the Yenepoya (Deemed to be University),	23
13.4.	An account of more Oxygen releasing and Carbon dioxide assimilating plants in the Campus	47
13.5.	Lawns, Trees, Herbs, Shrubs, Climbers and Lianas in Yenepoya (Deemed to be University)	50
13.6.	Establishment of different Gardens in the Yenepoya (Deemed to be University)	51
13.7.	Natural Topography and Vegetation	52
13.8.	Rainwater Harvesting System and Percolation Pond	53
13.9.	Landscape design and Soil Erosion control	54
13.10.	Operation of Water irrigation, Drip and Sprinkler Irrigation	54
13.11.	Importance of Biodiversity Conservation	54
13.12.	Pedestrian Path facility in the Yenepoya (Deemed to be University),	55
13.13.	Use of Biofertilizers, Organic and Green Manures	55
13.14.	Conduct of Outreach programmes for disseminating green motto	57
13.15.	Establishment of Aquarium and Aquatic plants	60
13.16.	Academic credentials: Projects, Dissertations and Thesis work	61
14.	Best practices followed on Green Campus initiatives	61
15.	Recommendations for Greening	63
16.	Conclusion	63
17.	Acknowledgement	64
18.	Annexures for methodology for Flora and Fauna	64
19.	References	73
20.	Certificates of Nature Science Foundation	76
21.	Certificates of Green Campus Auditors	87

## **1. Introduction**

Green campus is an area of the Organisation or the Organisation as a whole itself contributing to have an infrastructure or development that is structured/planned to incur less energy, less water, less or no CO<sub>2</sub> emission and less or pollution free environment (Aparajita, 1995). Green Campus Audit is a tool to evaluate environment management system which is systematically executed to protect and preserve the environment. Green campus audit constitutes the environmental friendly practices and education combined to promote sustenance of green environment adopting user-friendly technology within the campus. It creates awareness on environmental ethics, resolves environmental issues and offers solutions to various social and economic needs (APHA, 2017). It strengthen the concept of “Green building” and “Oxygenated building” which in turn provides a healthy atmosphere to the stakeholders.

Green Campus Audit ensures the Organization’s campus should be greenish with large diversity of trees, herbs, shrubs, climbers and lawns to reduce the environmental pollution and soil erosion; it is also useful in relation to biodiversity conservation, landscape management, irrigation/economic water utilisation and maintenance of natural topography and vegetation (Gowri and Harikrishnan, 2014, Aruninta *et al.*, 2017). The maintenance of an eco-friendly campus ensures a neat and clean environment. For the benefit of stakeholders, solid waste management, recycling of water, disposal of sewage and waste materials (electronic and biomedical wastes), ‘zero’ use of plastics, etc. should be followed consistently in the organization campus.

Green Campus Audit procedures includes the definition of green audit, methodology on how to conduct Green audit at Educational Institutions and Industrial sectors as per the checklist of Environment Management Systems and International Standards on ISO 14001:2015, Indian Green Building Council, Swachh Bharath Scheme under Clean India Mission to understand the principles and importance of various audits in the context of the organization and risk assessment at 360° views. Green campus audit helps the educational institutions/ industries to maintain eco-friendly environment, assures personal hygiene to various stakeholders and supports the nation; on the whole for the noble cause of environmental protection and nature conservation which in turn enhances the quality of life of all living beings (Arora, 2017).

## **2. Role of Educational Institutions in India**

Educational institutions are playing important role in a nation’s growth and development which starts from maintenance of green campus without harming the environment. A clean and healthy environment in an Organization determine effective learning skills and offers a conducive learning environment to the students. Educational institutions are insisted by both Central and State Governments to offer eco-friendly atmosphere to the stakeholders. In addition, all the Educational institutions are asked to save the environment for future generations and to resolve the environmental problems (accumulating solid wastes and wastewaters/effluents and their careless disposal, enormous utility of plastics, uneconomical consumption of water, irresponsible in water harvesting and storage procedures, etc.) through Environmental Education. Implementing Swachh Bharath Abhiyan Scheme launched by the Indian Government thro’ the Educational institutions plays a major role in terms of giving neat and clean

environment to tribal, rural and urban people across the country, besides the regular and conventional activities carried out by NSS, NCC/Student Force, Nature club, Eco club, Science club, Fine Arts club, Flora and Fauna club, Youth Red cross unit, etc. Seminar, Conference, Workshop, training and awareness programmes on Biodiversity conservation education, environmental awareness programmes, etc. may be conducted periodically by the Management and Administrative people of an Organization to the stakeholders.

Green campus auditing is a systematic method whereby an organization's environmental performance is checked against its environmental strategies and compliances of the Government guidelines. This audit process is definitely useful for the Educational institutions to maintain the campus neatly and can give pure atmosphere to the students and staff members including Management people. It is like an official examination of the environmental effects on an organization's campus as per the Government guidelines. The audit report may be useful to improve the organization's campus significantly by following the recommendations and suggestions given in the report. The green campus audit processes are being undertaken by World / Indian Green Building Council (IGBC), Green Building Code and Green Ratings Systems (GBCRS), Green Rating for Integrated Habitat Assessment (GRIHA), Consideration of Indian Industry GreenCo Rating System (CII-GreenCo) and Associated Chambers of Commerce and Industry of India (ASSOCHAM) along with ISO EMS 14001:2015 criteria and the concept of Swachh Bharath Abhiyan under Clean India Mission

### **3. Green Campus and Environment Policy**

Green campus and environment policy aims to provide an education and awareness in a clean and green environment to the stakeholders with regard to environmental compliance. Scope of the policy applies to all employees and students of the Institution/organisation to provide an ecofriendly atmosphere. Green Campus Policy dealt with cleanliness of the campus maintained through proper disposal of wastes and steps to be followed to recycle the biodegradable wastes and utilization of eco-friendly supplies to maintain the campus free from hazardous wastes/pollutants. The concept of eco-friendly culture is disseminated among the students as well as rural community through various awareness programmes. Attempts are made to minimise the energy usage and substitute the non-renewable energy sources with renewable energy sources. Head of the Organization, Departmental Heads and Senior Managers/ Management Representatives are responsible for monitoring the "Go Green" initiatives of the College/University and maintain a clean/green campus while each and every individuals of the organisation should adhere to the policy.

### **4. Environment Friendly Campus**

As stated earlier, Organization is liable to provide an eco-friendly atmosphere along with good drinking water facility to all the stakeholders (students and staff members). Manuring the cultivated plants/grown within the campus may applied with organic manure, cow dung, farmyard manure and vermicompost instead of using chemical fertilizers. All non-compostable and single-use disposable plastic items, plastic utensils, plastic straws and stirrers should be avoided. Demonstration/awareness programme on establishing plastic-free environment and utility of organic alternatives for all incoming and current students, staff and faculty should be organised. Reduction

of use of papers alternated with e-services, e-circulars, etc. and proper disposal of wastes, recycling and suitable waste management system should be considered to establish environment friendly campus.

### **5. Aims and Objectives of Green Campus Audit**

- To recognise the initiatives taken towards establishing the green campus in terms of gardening.
- To grow a large number of oxygen releasing and carbon dioxide assimilating plants in the campus to give a pure atmosphere to the stakeholders.
- To identify and provide baseline information to assess threat and risk to the ecosystem due to Organization development.
- To recognise and resolve different environmental threats of the Organization.
- To ensure proper utilization of resources available in the surrounding areas towards future prosperity of the humanity.
- To fix a couple of norms for disposal of all varieties of wastes and use green cover as a carbon sink for pollution free air.
- To assess the greenish nature of an Organization campus in terms of trees, herbs, shrubs, climbers, twins, lianas, lawns and reflected in reducing the environmental pollution soil erosion, biodiversity conservation, landscape management, natural topography and vegetation.

### **6. Importance of Green Auditing**

The Management of the Organization (Auditee) should be exposed their inherent commitment towards making ecofriendly atmosphere through the green auditing and ready to encourage/follow all types of green activities. They should promote all kinds of green activities such as conduct of environment awareness programmes, in-campus farming, planting trees and maintenance of greening, irrigation, use of biofertilizers and avoidance of chemical fertilizers and agrochemicals, etc., prior to and after the green campus auditing (Suwartha and Sari, 2013). The administrative authorities should formulate 'Green and Environment Policies' based on technical report of green campus auditing. A clean and healthy environment will enhance an effective teaching/learning process and creates a favorable learning green environment to the scholars. They should create the awareness on the importance of greenish initiatives through environmental education among the student members and research scholars. Green Audit is the most effective, ecological approach to manage environmental complications.

Green campus audit may be beneficial to the campus in improving the greenery activities which in turn useful to save the planet for future generation. Green campus audit is a kind of professional care and a simple indigenized system about the environment monitoring in terms of planting a huge number of trees which is a duty of each and every individual who are the part of economical, financial, social, and environmental factors. It is necessary to conduct green audit frequently at least once in three years in campus because students and staff members should aware of the green audit and its beneficial effects in order to save planet by means of 'Go green concept' which in turn support the institution to set environmental models ('icon') for the community. Green audit is a professional and useful measure for an Organization to determine how and where they are retaining the campus eco-friendly manner. It can

also be used to implement the alleviation measures at win-win situation for the stakeholders and the planet. It provides an opportunity to the stakeholders for the development of ownership, personal and social responsibility.

## **7. Benefits of the Green Auditing**

There are several benefits on conduct of green audit by the Organization which may be definitely useful to improve the campus significantly based on the audit report. The green campus audit contained methodology followed and both qualitative and quantitative measurements including physical observation of greeneries in terms of growing of terrestrial and aquatic plants, animals and microflora in the campus. The natural and planted vegetation and their maintenance are also considered in the organization campus through topography, landscape management design and soil erosion control in environment sustainable development. The following are the major benefits of the green auditing.

- Know the status of development of internal and external Green campus audit procedures and implementation scenario in the Organization.
- Establishment of Green campus objectives and targets as on today as per the 'Green and Environment Policy', 'Indian Biodiversity Act' and 'Wildlife Protection Act' of the Ministry of Environment, Forests and Climate Change, New Delhi and World & Indian Green Building Council concepts in accordance with prevailing rules issued by the government/local authorities
- Assigning the roles and responsibilities to the Environmental Engineer and Agriculture Staff who are all responsible to improve green initiatives.
- Development of ownership, personal and social responsibility for the Organization and its environment and developing an environmental ethic and value systems to young generations.
- Enhancement of the Organization profile and reach the global standards in proving the green campus and eco-friendly atmosphere to the stakeholders
- Suggested of availability of Biogas plant to the management to restrict the usage of fossil fuel in cooking purposes.
- Implementing status of the rain harvesting system, water reservoirs, percolation pond, etc. in the campus to increase the ground water level.
- Establishment of terrace garden, herbal garden, kitchen, zodiac, ornamental gardens, etc. for enhancing teaching and learning and commercial exploitation.
- Treated water consumption towards plant cultivation, canteen, hostel, machinery cleaning, transport, toilet use and etc. on water consumption and per capita water consumption per day calculation.
- Studying the campus flora by making a complete data on total number of both terrestrial and aquatic plants, herbs, shrubs, climbers, twins and grasses.
- Survey of campus fauna by conducting the number living and visiting animals, insects, flies, moths and worms in the campus.

- Documentation of the number of oxygen releasing and carbon dioxide assimilating plants planted in the campus to give pure atmosphere to the stakeholders.
- Operation of water irrigation, drip and sprinkler irrigation methods to improve the green campus.
- Studying the biodiversity conservation through Life Sciences and Biological Sciences people to conserve economically important, rare and endangered plant and animal species in the campus ecosystem.
- Recommendation in use of biofertilizers, organic and green manures, cow dung manures and farmyard manures for the cultivation of plants to protect the environmental health
- Conduct of outreach programmes for dissemination of Green Campus motto and Green pledge initiatives to rural, tribal and urban people through Eco club, Nature club, Science club, Fine Arts club, Youth Red Cross unit, NCC/Student Force and NSS bodies.
- Academic credentials like major and minor Projects, Dissertations and Thesis work on green campus, environment protection and nature conservation by the students and staff members.
- The plants available in the campus must be tagged with their common name and Botanical name for the stakeholders to impart the knowledge on medicinal and ornamental, economic and food values of plant varieties.
- MoU may be signed with Government and non-Governmental Organizations (NGOs) to utilize the resources for nature conservation and environmental protection.
- Implementation of Government schemes (Swachh Bharath Abhiyan under Clean India Mission) to give pure and safe water to rural people and teach the importance of cleanliness of toilets and restrooms.
- Conduction of awareness programmes and cultural activities on global warming, environmental changes and ecosystem maintenance to the stakeholders.
- Steps taken for organic, inorganic, toxic, e-waste, biomedical, food, sewage waste management, segregation of wastes and reuse methods.
- Public transport, low-emitting vehicles and control of car smokes and exhaust towards carbon accumulation in the campus by carbon footprint studies.
- Implementation of advanced methods for watering plantations (Drip irrigation, Sprinkler irrigation, etc.) and use of metering for water utility, IoT based watering, automation, water device, remote water lines, etc.
- Percentage of Organization's budget for environment sustainability efforts and green campus initiatives planning and efforts.
- Campus facilities for disabled, special needs and/or maternity care including security, safety and health infrastructure facilities for stakeholder's wellbeing.
- High degree of resource management offers the basis for improved sustainable and creation of plastic free campus to evolve health consciousness among the stakeholders.
- Impart of knowledge on environment through systematic management approach and improving environmentally friendly standards by creating a benchmark for environmental protection initiatives

- Best practices followed on green campus initiatives in the Organization listed and disseminated among the stakeholders.
- Recommendations for improving the green initiatives, planning and efforts in the campus after audit report to improve further.

## **8. About the Organization**

### **8.1. Yenepoya (Deemed to be University)**

In 1991, the Islamic Academy of education, a not-for-profit trust committed to the upliftment of minorities in general and Muslims in particular, was established by entrepreneur Mr. Yenepoya Abdulla Kunhi as its Chairman. The trustees perceived a hiatus in the area of Health Professional education and so decided to start a Dental college. Within a short span of time, the Yenepoya Dental College was granted permission in 1992; recognized under section 3(A) of the UGC Act, 1956 by the Dental Council of India to educate aspiring students to become dentists. Soon, with one successful milestone after another Trust launched the Yenepoya Institute of Nursing Sciences (1994), the Yenepoya Medical College (1999), the Yenepoya Nursing College (2002) and the Yenepoya Physiotherapy College (2003). All these colleges offer Graduate, Postgraduate, Ph.D., and various certification programs.

From its inception, the management dreamt of providing quality higher education, and towards this goal hired the best in their profession. In a healthy campus with natural surroundings, the trust raised buildings designed to bring out the best learning environs, in the distant suburbs of Mangalore.

The Islamic Academy of Education in its quest towards excellence in professional education decided to sponsor the formation of a new trust with the sole purpose of creating a Deemed-to-be University (2007). Recognizing the yeoman service provided over the years by these institutions, the Ministry of Human Resource Development, Union of India, on the recommendation of the University Grants Commission granted recognition to Yenepoya University Trust a Deemed-to-be University status under section 3A of the UGC Act 1956 in 2008. This opened a new chapter in the history of Yenepoya Institutions.

The University campus located in Nithyananda Nagar, Deralakatte has been accorded with all modern infrastructure facilities that include fully furnished classrooms, well-maintained science laboratories, residential quarters for staff and separate lodging facilities for boys and girls. The saga of Yenepoya Deemed to be University is yet to unfold and greater achievements are around the corner. To prove that quality has been the signature of the institutions and more than just lip service, we have been accredited by NAAC with “A+” grade with CGPA 3.47 on 10 August, 2022. The Deemed to be University has been ranked the Third Best University among best Young Universities in Karnataka by K-SURF, Government of Karnataka 2016 and ranked in top 100 (95th) in range in NIRF of MHRD, Govt. of Indian Universities category in the country.

In 1991, the Islamic Academy of Education, a not-for-profit trust committed to the upliftment of minorities, was established by the entrepreneur Mr. Yenepoya Abdulla Kunhi as its Chairman. The trustees perceived a hiatus in the area of Health Professional



Education and so decided to start a Dental college. Within a very short span of time, the Yenepoya Dental College (1992) was granted permission by the Dental Council of India to educate aspiring students to become dentists. Soon, with one successful milestone after another, the Trust launched the Yenepoya Institute of Nursing Sciences (1994), the Yenepoya Medical College (1999), the Yenepoya Nursing College (2002), and the Yenepoya Physiotherapy College (2003). All these colleges offer Graduate and Postgraduate programmes. From its inception, the management dreamt of providing quality education, and towards this goal hired highly qualified teachers, who have since proved themselves to be the best in their profession. In a healthy campus, with natural surroundings, the trust raised buildings designed to bring out the best learning, in the distant suburbs of Mangalore.

The Islamic Academy of Education in its quest towards excellence in professional education, decided to sponsor the formation of a new trust with the sole purpose of creating a Deemed-to-be- University in 2007. Recognizing the yeoman service provided over the years by these institutions, the Ministry of Human Resource Development, Union of India, on the recommendation of the University Grants Commission granted recognition to Yenepoya University Trust a Deemed-to-be-University status under Section 3A of the UGC Act, 1956 in 2008. This opened a new chapter in the history of Yenepoya Institutions.

**Vision:**

To provide access to quality higher education, ensuring equity to create a vibrant knowledge capital and to create inspiring leaders of tomorrow who can take this country to the forefront of developed nations.

**Mission:**

- ✓ To foster academic excellence and global competencies among students.
- ✓ To create an environment for the generation of new knowledge through meaningful research, adopting latest methods of pedagogy and incorporating modern principles of academics integrated with highest ethical standards.
- ✓ To extend the knowledge acquired and new knowledge generated for the development of the community.

**8.2. About Nature Science Foundation (NSF)**

NSF is an an ISO QMS (9001:2015), EMS (14001:2015), OHSMS (45001:2018) &EnMS (50001:2018) Certified and registered with Ministry of Micro, Small and Medium Enterprise (MSME), Government of India Organization functioning energetically towards the noble cause of nature conservation and environmental protection. NSF is managed by a board of trustees of NSF Public Charitable Trust under the TN Societies registration Act 1975 (TN Act 27 of 1975) on 29<sup>th</sup> November, 2017 at Peelamedu, Coimbatore - 641 004, Tamil Nadu, India with Certificate of Registration No. 114 / 2017. In addition, NSF has 12AA, 80G and Form 10AC certificates for income tax exemption and implanting various Government schemes. The main motto of the NSF is to “Save the Nature to Save the Future” and “Go Green to Save the Planet”. NSF Branch Offices are also functioning effectively at Gorakhpur, Uttar Pradesh and Faridabad, Haryana, India to adopt the ‘Go Green Concept’ in a big way.

NSF family is wide spread across India with over 115 state-wise Lead auditors to conduct Green and Environment Audits.

NSF is functioning strenuously to conduct different awareness programmes and implement various schemes to public and school / college students towards the noble cause of nature protection. Some of the programmes are also being organized for the benefit of tribal communities to create the supply chain for biodiversity conservation studies. The objectives along with vision and mission are illustrated to promote educational and environmental awareness programmes through social activities for enhancing the quality of life and to conserve nature from environmental pollutants using traditional and modern technologies for sustainable land management. NSF is educating the tribal community children through social service and towards the upliftment of tribes as a whole and make them as entrepreneurs.

International Eco Club Student Chapter (IECSC) has been established for Student volunteers and faculty members are encouraged to conduct National and International events, Student Technical Symposium, Distinguished lecture programme, Environment day celebration, Ozone day celebration, Project model exhibition, Awareness programmes on Environmental pollution, Biodiversity and Natural resources conservation and etc. with the financial support of the Foundation. NSF is being released 'Magazine' and 'Newsletter' biannually to share the information about Environmental awareness programmes on biodiversity conservation, seminar on soil conservation, water management and solid waste management, restoration and afforestation programmes in Western Ghats of southern India.

In order to encourage the students, members of faculty, academicians, scientists, entrepreneurs and industrial experts those who are involving in nature protection and biodiversity conservation studies across the world, NSF tributes the deserved meritorious candidates with various awards and honours such as 'Best Faculty Award', 'Best Women Faculty', 'Best Scientist Award', 'Best Student Award', 'Best Research Scholar Award', 'Best Social Worker Award', 'Young Scientist Award', 'Life-Time Achievement Award' and 'Fellow of NSF'. These award and honours will be given to the deserved meritorious candidates during the 'Annual Meet and Award Distribution Ceremony' which will be conducted every year during the first week of January.

NSF has introduced various types of Audits such as 'Eco Audit', 'Green Audit', 'Energy Audit', 'Hygienic Audit' Water & Soil Audit, Plastic Waste Management Audit, Biomedical Waste Audit, Solid Waste Management Audit, E-Waste Management Audit, Academic & Administrative Audits including ISO certification process to Academic Institutions, R&D Organizations and Industries towards the accreditation process as well as maintaining a hygienic eco-friendly environment to the stakeholders in their campus. All audits will be conducted as per the Checklist prepared by the NSF ISO Criteria and in compliance with Government Law and Environmental Legislations including World / Indian Green Building Council and the concept of Swachh Bharath Abhiyan under Clean India Mission. Green campus and Environment Policy, Purchase Policy, Energy Policy, MoU, International Eco Club student Chapter.

**Audit processes are being conducted through the certified Auditors as per the following by the NSF**

<b>Audit</b>	<b>Certified Auditors</b>	<b>Certified Auditors</b>
Green Audit	<ul style="list-style-type: none"> <li>• IGBC - Indian Green Building Council</li> <li>• GBCRS - Green Building Code and Green Ratings Systems</li> <li>• GRIHA – Green Rating for Integrated Habitat Assessment</li> </ul>	<ul style="list-style-type: none"> <li>➤ Dr. S. Rajalakshmi</li> <li>➤ Dr. R. Mary Josephine</li> <li>➤ Dr. B. Mythili Gnanamangai</li> <li>➤ Er. N. Shanmugapriyan</li> </ul>
Energy Audit	<ul style="list-style-type: none"> <li>• BEE - Bureau of Energy Efficiency</li> <li>• LEED - Leadership in Energy and Environmental Design</li> <li>• CII-GreenCo – GreenCo Rating System Felicitator</li> </ul>	<ul style="list-style-type: none"> <li>➤ Er. D. Dinesh kumar</li> <li>➤ Er. N. Shanmugapriyan</li> <li>➤ Dr. N. Balasubramaniam</li> <li>➤ Dr. P. Thirumoorthi</li> <li>➤ Dr. G. Murugananth</li> </ul>
Environment Audit	<ul style="list-style-type: none"> <li>• IGBC -Indian Green Building Council</li> <li>• ASSOCHAM - Associated Chambers of Commerce and Industry of India</li> <li>• FSRS – Fire Safety &amp; Rescue Services</li> </ul>	<ul style="list-style-type: none"> <li>➤ Dr. S. Rajalakshmi</li> <li>➤ Dr. A. Geetha Karthi</li> <li>➤ Dr. R. Mary Josephine</li> <li>➤ Dr. B. Mythili Gnanamangai</li> <li>➤ Er. N. Shanmugapriyan</li> </ul>
Hygiene Audit	<ul style="list-style-type: none"> <li>• FSMS – Food Safety Management System &amp;</li> <li>• Occupational Safety &amp; Health (ISO 22000:2018)</li> <li>• SBICM - Swatch Bharath under India Clean Mission</li> </ul>	<ul style="list-style-type: none"> <li>➤ Mrs. Gaanaappriya Mohan</li> <li>➤ Dr. R, Sudhakaran</li> <li>➤ Dr. N. Saranya</li> </ul>
Waste Management Audits	Water & Soil Audit, PlasticWaste Management Audit, Biomedical Waste Audit, Solid Waste Management Audit, E- waste Management Audits as per the Checklist of NSF	<ul style="list-style-type: none"> <li>➤ Mrs. Gaanaappriya Mohan</li> <li>➤ Dr. R, Sudhakaran</li> <li>➤ Er. N. Shanmugapriyan</li> </ul>
ISO Certification	<p>QMS (9001:2015), EMS (14001:2015), OHS (45001: 2018), ISMS (27001:2018),</p> <p>FSMS (22000:2018), QMSMD (13485: 2016), EnMS (50001: 2018)</p>	<ul style="list-style-type: none"> <li>➤ Dr. S. Rajalakshmi</li> <li>➤ Dr. A. Geetha Karthi</li> <li>➤ Mrs. Gaanaappriya Mohan</li> <li>➤ Dr. R. Mary Josephine</li> </ul>

**Table 1. The Yenepoya facility details**

<b>S.No.</b>	<b>Details of Area</b>	<b>Total area</b>
1.	Total Campus area	418404.49 m <sup>2</sup>
2.	Total Built up area	148208.01 m <sup>2</sup>
3.	Covered Car parking area	6.5 m <sup>2</sup>
4.	Air-conditioned area	22014.9 m <sup>2</sup>
5.	Non-Airconditioned area	126196.11 m <sup>2</sup>
6.	Gross Floor area	15583.35 m <sup>2</sup>
7.	Public area	779.168 m <sup>2</sup>
8.	Service area	15583.35 m <sup>2</sup>
9.	Forest vegetation	16339.857 m <sup>2</sup>
10.	Planted vegetation	282986.227 m <sup>2</sup>

**9. Audit Details**

<b>Date / Day of Audit</b>	<b>: 22. 12. 2022</b>
<b>Venue of Audit</b>	<b>: Yenepoya (Deemed to be University), Mangalore - 575018, Karnataka.</b>
<b>Audited by</b>	<b>: Nature Science Foundation, Coimbatore, Tamil Nadu, India.</b>
<b>Audit type</b>	<b>: Green Campus Audit</b>
<b>Name of Auditing Chairman</b>	<b>: Dr. S. Rajalakshmi Jayaseelan, Chairman of NSF &amp; ISO QMS, EMS, OHSMS, EnMS Auditor.</b>
<b>Name of IGBC AP Auditor</b>	<b>: Dr. B. Mythili Gnanamangai, Vice Chairman of NSF &amp; Indian Green Building Council Accredited Professional.</b>
<b>Name of Lead Green Auditor</b>	<b>: Dr. R. Mary Josephine, Plant Taxonomist &amp; Principal, St Joseph College for Women, Tiruppur, TN.</b>
<b>Name of Subject Expert-I</b>	<b>: Dr. D. Vinoth Kumar, Joint Director of NSF &amp; ISO EnMS Auditor.</b>
<b>Name of Subject Expert-II</b>	<b>: Mr. B.S.C. Naveen Kumar, Senior Faculty, Mahatma Gandhi National Council of Rural Education, Ministry of Higher Education, Hyderabad.</b>
<b>Name of Subject Expert-III</b>	<b>: Er. D. Dinesh Kumar, Certified Lead Auditor, IGBC, ASSOCHAM, GRIHA &amp; LEED</b>
<b>Name of the Energy Auditor</b>	<b>: Dr. N. Balasubramanian, Certified Bureau of Energy Efficiency Auditor of NSF.</b>
<b>Name of Eco &amp; Green Officer</b>	<b>: Ms. R.S. Thulaja, Environment, Energy &amp; Green Council Programme Officer, NSF.</b>

## 10. Procedures followed in Green Campus Audit

Green campus audit is a structured process of documenting the credentials in terms of number of trees, herbs, shrubs, lawns, climbers and lianas reflected in reducing the environmental pollution and soil erosion and useful for biodiversity conservation, landscape management, natural topography and vegetation. It is a kind of a professional tool for assessing the green campus. Green audit projects the best environmental practices and initiatives taken in the organisation at the prescribed site of audit that brings added value to the organisation in maintaining the eco-friendly campus to the stakeholders. First step of the audit is ensuring that the organisation has a central role in building the green campus, in order to validate the same (Adeniji, 2018).


Green campus is not intended for the self-sustainability of the building alone, it also involves in propagation of the green campus initiatives so as to be adopted by any individuals and organization at a minimum cost. Green campus audit has been conducted as per the checklist of Nature Science Foundation, Coimbatore, Tamil Nadu, India ([www.nsfonline.org.in](http://www.nsfonline.org.in)) through the authenticated Professionals for people qualified to investigate and evaluate the campus for validating the best environmental practices (Staniskis and Katiliute, 2016, SCSR, 2018). Professional team of ISO Environment Management Audit (14001:2015), Indian Green Building Council Accredited Professionals, Experts of Green campus Lead Auditors and Botanists / Zoologists / Biotechnologists were selected to conduct the Green campus audit process.

During the audit, the nature of plants and animals / birds species thriving within the campus were recorded. Establishment of lawns, trees, herbs, shrubs and climbers and establishment of terrace / kitchen / herbal / zodiac / ornamental / medicinal garden / aquarium and aquatic (hydrophytes) plants in the campus were recorded. Labelling of common names and Botanical names of plants were observed. The operation of the water irrigation system, drip and sprinkler irrigation methods and use of recycled water for irrigation purpose or any other purpose in the campus area were noted.

Attempts made for water scarcity during summer season towards the maintenance of plants and frequency of watering for plantations in the campus were noted. Biodiversity conservation education, projects, awareness programmes, etc., through Indian Biodiversity Act and Ministry of Environment, Forests and Climate Change, Government of India and the conduct of outreach programmes for dissemination of Green campus motto were recorded (Venkataraman, 2009). Conduct of outreach programmes for dissemination of Green campus motto to the students and staff members including public domain and signing of MoU with Government and Non-Governmental Organizations to ensure green campus activities for future generation were noted (Lauder *et al.*, 2015; Brindusa *et al.*, 2007). Technology driven solutions initiated by the Green campus organization can also be disseminated and documented successively for propagating the attitude of the Green campus in wider masses.

Projects, Dissertations and Thesis are the academic effort credentials that always fosters the innovative ideas on thinking and implementation of new innovative approaches towards the green campus. These should be disseminated through presentations and publications in social media, books, magazines and journals so as to

spread the innovative ideas and methods to the broad public. These efforts taken by the students and staff were deliberated while conducting the Green campus audit. Green audit processes are taking place as per the following flow-chart starting from the receipt of application forms from the auditee (organization) and ending upon the submission of final report to the concerned organization (Leal Filho *et al.*, 2015). During the audit process, the best environmental / greenery practices followed and new initiatives undertaken in the organisation to reduce the environmental pollution and steps taken for nature conservation that brings added value to the organisation in maintaining the eco-friendly campus were assessed. In addition, supporting activities of the scholars and staff with regard to “Vision and Mission” of the greenery activities of the Organization is also evaluated.



### 10.1. Onsite Green Campus Audit activities

1. Opening meeting is the first step between the audit team and auditee along the Management Representatives where the purpose of the audit, procedures to be adopted for the conduct of the audit, verification of the documents and the time schedules were discussed, in brief.
2. Followed by opening meeting, onsite inspection will be conducted which is the second step in the audit where the Audit team members visited different sites in the Yenepoya (Deemed to be university) and required photographs were taken then and there for preparing the audit report.
3. During the onsite phase of visit, it is vivid how the various facilities made by the Yenepoya (Deemed to be university) Management to the stakeholders without

disturbing the landscape, natural topography and vegetation to ensure the green campus.

4. It is observed how the environment is protected in the campus and by what means an eco-friendly atmosphere is being given to the stakeholders. The assessment reveals the strengths and weaknesses of the Auditee's Management controls and risks associated with their failure in creating Green campus facilities.
5. Collecting audit proofs *ie*, data collection and information from the auditee as per the audit protocol were carried out.
6. An exit meeting was conducted to describe the findings of the audit with Management Representatives and staff members along with the audit team in brief.

## 10.2. Pre-Audit stage activities

A pre-audit meeting (opening meeting) is conducted with Management and Administrative people along with staff coordinators of Green, Energy and Environment audit process, wherein, audit protocol and audit plan were discussed in brief. The purpose of this meeting is to provide a chance to emphasize the scope and objectives of the audit and discussions held on the feasibilities associated with the audit (Marrone *et al.*, 2018). Pre-audit stage activities are an essential prerequisite for the green audit to meet the auditee and to gather information about the campus and required documents were collected directly from the Organization before the start of the audit processes (Fachrudin *et al.*, 2019). Audit team was selected by the Nature Science Foundation as per the checklist comprised of Lead Auditor of ISO (EMS 14001:2015), Botanist, Agriculture and Horticulture Scientists from Conventional and Technical Universities across India, Accredited Professionals from Indian Green Building Council, Hyderabad and Associated Chambers of Commerce and Industry of India, New Delhi.



**Opening meeting with the Registrar, Vice chancellor, Management Representatives of the Yenepoya (Deemed to be University) and Audit Team of the Nature Science Foundation, Coimbatore, Tamil Nadu**

# Green, Environment and Energy Audit Activity at the Yenepoya University by the NSF Audit Team





### 10.3. Target Areas of Green Auditing

Green campus audit is nothing but a professional tool to assess the greenery activities in the educational institutions and give a value addition to the campus and considered as a resource management process. Eco-campus concept mainly concentrate on the efficient use of energy and water; Minimize waste generation or pollution and also improve the economic efficiency. Green campus audit process may be undertaken at frequent intervals and their results can demonstrate improvement or change over time. Eco-campus focuses on the reduction of carbon emissions, water consumption, wastes to landfill and enhance energy use conservation to integrate environmental considerations into all contracts and services considered to have significant environmental impacts (Choy and Karudan, 2016).

There are several targets listed in the Green audit process in which a few are taken into consideration as per the Indian scenario is concerned. They are water use efficiency, energy use efficiency, solid, e-waste biomedical, food, sewage waste management and reuse methods, planting of oxygen releasing and carbon dioxide assimilating plants, landscape management, topology, vegetation, soil erosion control, carbon footprint due to use of vehicles, electricity and fossil fuels (León-Fernández and Domínguez-Vilches, 2015). drinking water quality supply, Biogas plant, rain harvesting system, water reservoirs, percolation pond, establishment of various herbal, terrace and ornamental, gardens, campus and flora fauna, water irrigation, implementation of Government schemes, conduction of awareness programmes management, public transport, low-emitting vehicles and control of car smokes and exhaust, Organization's budget for greenery activities, campus facilities for disabled, persons needs special attention and or maternity care, security, safety and health infrastructure facilities for stakeholder's wellbeing (Nunes *et al.*, 2018).

### 10.4. Flora and Fauna diversity of study area



The Yenepoya (Deemed to be University) is situated in Mangalore District, Karnataka, India. It is located about 23 min (11.7 km) via NH 66 from mangalore Railway Station. At present, the campus is quite clean, green and with much less pollution when compared to the rest of the city. Study/documentation of biodiversity provides a useful measure of the quality of the environment and the ecological studies are important aspects of environment, in view of the consideration of environmental quality and natural flora and fauna conservation.

#### 10.4.1. Topography

The Yenepoya (Deemed to be University) consists of an environment of Red

Loam type, located at an altitude of 943 m above mean sea level, 76.1022° E of longitude and 13.0237° N latitude.

#### 10.4.2. Geology and Soil condition

Geomorphologically Mangalore District can be divided broadly into three well-defined physiographic units viz. i) Coastal plain ii) Upland pediplain area iii) Eastern hilly area forming part of the Western Ghats The Coastal plain is a narrow, thickly populated and intensely cultivated area adjoining the coast. There is considerable extent of barren land along the coast partly because it is sandy, rocky, and marshy. The area near sea is covered with coconut gardens. The Upland pediplain area interspersed with low hills between the Western Ghats and the coast, which is moderately cultivated with a considerable extent of fallow land, which can be put to agricultural use. The Eastern hilly area in the eastern part of the district is hilly with thick forest cover, which forms part of the Western Ghats. The hills of the area range in elevation from 1200 to 1500m a.m.s.l. and are capped with laterite, which form plateau usually of oval or elongated configuration.

The soil in the district is mostly lateritic type, found distributed in the Pediplain area characterised by high iron and aluminium content. Lateritic soil is mostly red in color and yellow loamy, pale to bright red colours are also seen. Lateritic soil is suitable for Paddy, Sugarcane, Arecanut and Plantation crops, viz. crops like Cardamom & plantains. Loamy red soils are distributed in the lower reaches of valleys. Red lateritic soil is the most dominant soil type in the area. The texture of the soil varies from fine to coarse. The soil in valleys and intermediate slopes is rich in loam whereas in upper slopes it is much coarse in nature.

#### 10.4.3. Climatic conditions

The temperature of the district has a tropical climate. It gets significant rainfall in most of the months, with a short dry season. The average annual temperature in Mangalore is 25.9°C. In a year, the average rainfall is 1216 millimetres (47.9 inches). The Period from April and May is generally hot and dry; the South-west monsoon begins in June and ends in September. The Period of North-East Monsoon in this district is October and November. Winter is from December to February.

**Table 2. Soil edaphic and environmental parameters of the Yenepoya (Deemed to be University)**

S.No	Details of Parameters	Data collected
<b>Soil edaphic parameters</b>		
1.	Soil pH	7.80
2.	Soil types	Laterite mixed soil
3.	Total organic carbon	5g/Kg
4.	Electrical conductivity	125.50 uS/cm
5.	Water holding capacity	20.80
6.	Total Nitrogen	0.25 mg/L

7.	Available Phosphorous	0.06 mg/L
<b>Environmental parameters</b>		
1.	Minimum Temperature	26 <sup>0</sup> C
2.	Maximum Temperature	33 <sup>0</sup> C
3.	Minimum Relative humidity	69.41%
4.	Maximum Relative humidity	89.55%
5.	Annual Average Rainfall	3747.6 mm
6.	Annual Average Sunshine	2378.1 hours
7.	Wind speed	15 KMPH

## 11. Identification of Plant Species

### 11.1. Identification of Flowering Plant Species

Various vascular plant species were collected across the Yenepoya (Deemed to be University) and subjected to botanical identification (botanical name, family, habitat, and economic importance) and anthropogenic disturbances to the natural vegetation in campus. Plants were freshly collected and their digital photographs were also taken. The collected plant specimens have been identified using taxonomic literatures (Gamble and Fischer, 1972; Matthew, 1983; Nair and Henry, 1983; Henry *et al.*, 1989; Chandrabose and Nair, 1988). Further, their identification was confirmed by matching with authentic specimens in the Madras Herbarium (MH), Botanical Survey of India (BSI), Southern Circle, Coimbatore, Tamil Nadu, India.

### 11.2. Identification of Non-Flowering Plant Species

#### 11.2.1. Lichen Identification

Lichen specimens were collected from the Yenepoya (Deemed to be University) and then identified based on the lichen identification key of Awasthi (2007). Representative lichen specimens were identified based on thalli morphology such as rhizine, cilia and pseudocephellae and reproductive structures (fruiting bodies) such as apothecia, perithecia, soredia, soralia, conidia and isidia embedding on the thalli surface using a stereo microscope (CZM4, Labomed, India). In the present study, Anatomy of the thallus were carried out in order to document micro morphological features such as medulla thickness, upper and lower surface of thallus, lobes, size and shape of spores. Thin section of apothecia and perithecia was made to observe the nature ascus spores and the arrangement of the algal and fungal layers in the thallus; respectively. Spot tests featured the use of chemical reagents to detect lichen substances by appearances of the characterized colour changes on lichen thallus was noted. The lichen chemistry was analyzed according to Culberson and Kristinson (1970) methods. The colour spot test was done on medulla of lichen thallus using test reagents of potassium hydroxide (K), calcium hypochlorite (C) and paraphenylene di amine (PD). Lichen was identified based on colour spot test using the procedure defined by Orange *et al.* (2001).

To authenticate the identified lichen samples, the representative samples were compared with the voucher specimens at the Lichen Herbarium Centre of National Botanical Research Institute (NBRI), Lucknow, Uttar Pradesh, India and Department

of Botany, Bharathiar University, Coimbatore, Tamil Nadu. The lichen species might be confused with other species unless their morphological, biochemical and anatomical features were closely monitored. Therefore, apart from microscopic observation, spot tests, chemical profiling and TLC tests, attempts were made to compare the representative samples with voucher specimens.

### **11.2.3. Identification of Algae Genera**

Algae are the members of a group of predominantly aquatic photosynthetic organisms of the kingdom *Protista* followed by terrestrial algae found in freshwater and slump areas. Algae are non-flowering and lower group of plants which are green in colour because of presence of chlorophyll pigments in the body called thallus. Algae adopt diverse life cycles, and by size, they range from microscopic *Micromonas* to giant kelps that reach 60 metres (200 feet) in length. Their photosynthetic pigments highly varied when compared to that of higher plants; their cells have features not found among plants and animals. In addition to their ecological roles as oxygen producers, they serve as food base for almost all aquatic life; algae are economically important as a source of crude oil and as sources of food and a number of pharmaceutical and industrial products for humans. Algae are defined as eukaryotic (nucleus-bearing) organisms that photosynthesize. They lack specialized multicellular reproductive structures of plants, but they always contain fertile gamete-generating cells surrounded by sterile cells. Algae also lack true roots, stems, and leaves features they share with the avascular lower plants (e.g., mosses, liverworts, and hornworts). Algae identification key consists of couplets of characteristics using algal description of the specimen based on morphological characterization from 58 Genera to species level identification as per the comprehensive key.

## **12. Identification of Mammals, Birds, Reptiles, Amphibians and Termites**

Birds were observed by visual sightings and by calls also the avifaunal data were observed through the Nikon 8 x 40 binoculars and photographs were taken by Canon 600 D camera (55 – 250 mm). The recorded data was noted in the field work note. Later, the birds were identified with the help of field guide- "Birds of Indian subcontinent" by Richard Grimmett, and the IUCN category of the birds were also noted with the same. The point count and transect line methods were used to record the number of bird species in the study area in which regular visits and personal visits were carried out (Ferenc *et al.*, 2014). The surveys were conducted to understand the distribution of bird species in relation to habitats and nesting behaviour of birds in the study area. Based on survey richness and abundance of bird species were calculated using Shannon-weaver diversity index. Based on available data and species were selected for nest site selection study. Selected species of birds was analyses for its nest site characteristics between the habitats and also plant species preference was enumerated and assessed. The number of breeding bird species and nests found in different habitats as depend variables such as biotic and abiotic factors as the independent variable (Jayson and Mathew, 2000).

Reptiles and Amphibians are identified based on colouration, markings on the skin, background colour generally brown, Males often have a flecked pattern on back. Occasionally they are in green, leading to mistaken identification as sand lizard, Males have thicker base to tail and brighter, speckled underside. Newborn young are dark in

colour, almost black. A rare species, almost entirely confined to heathland sites in Dorset, Hampshire and Surrey, and sand dunes on the Mersey and Welsh Coast. The most common reptile found in a variety of habitats, including gardens. Spends most of its time underground or in vegetation litter. Most likely to be found underneath objects lying on the ground, or in compost heaps. Snakes are identified based on cream, yellow or white collar behind the head, bordered to the rear by black marks. Body colour ranges from bright green to dark olive, but mostly the latter. Darker specimens can appear black from a distance. Truly black grass snakes are rare. Males are predominately brown, females are grey. Dark butterfly shape on top of head may be noted. Pairs of spots, sometimes fused as bars, running along back with black line running through eye are recorded. Males typically grey with a black zigzag stripe, females generally brown with a dark brown zigzag stripe (Beebee and Griffiths, 2000).

### 13. Green Campus Audit Observations

It covers both qualitative and quantitative measurements including physical observation of greeneries in terms of growing of terrestrial and aquatic plants, animals and microflora in natural and planted vegetation and their maintenance. Topography, landscape management design and soil erosion control are playing important role in environment sustainable development in the campus. An account of a large number of Oxygen releasing and Carbon dioxide assimilating plants planted in the Campus are taken into consideration to give pure atmosphere to the stakeholders. Establishment of different types of gardens in the campus, rainwater harvesting system, operation of water irrigation, drip and sprinkler irrigation methods may be adopted to improve the green campus. Similarly, biodiversity conservation strategies are very essential to conserve a variety of plant and animal species in the campus ecosystem. Biofertilizers, organic and green manures, cow dung manures and farmyard manures may be used for the cultivation of plants which may be protected the environmental health that will not cause any air, water and soil pollution. The various Clubs, Forums, Cells, Associations and Student / Staff Chapters such as Eco club, Nature club, Science club, Fine Arts club, Flora and Fauna club, Youth Red Cross, NCC/Student Force and NSS bodies may be involved in green campus initiatives, planning and efforts among stakeholders. Outreach programmes may be conducted for dissemination of Green Campus motto and Green pledge initiatives to rural, tribal and urban people. Academic credentials like taking up major and minor Projects, Dissertations and Thesis work by the students and staff members may be taken into account towards green campus initiatives, planning and efforts. Best practices followed on green campus initiatives in the Organization and recommendations for greening are illustrated in the audit report as well.

#### 13.1. Table 3. Qualitative Measurements of Green Auditing

S.No	Requirements and checklists of the audit	Conformity		
		Yes	No	NA
1.	Have internal Green campus audit procedures been developed and implemented in the Organization	✓		
2.	Have programmes for the achievement of Green campus objectives and targets been established and	✓		

	implemented as on today?			
3.	Whether Green campus audit and Environment audit are simultaneously carried out or separately carried out?	✓		
4.	Whether Indian Biodiversity Act as per the Ministry of Environment, Forests and Climate Change, New Delhi, Wildlife protection act and World & Indian Green Building Council concepts followed?	✓		
5.	Have responsibilities been assigned for programmes at each appropriate function and level? (Environmental Engineer & Agriculture Staff working for environment monitoring)	✓		
6.	Are the following environmental aspects considered in sufficient detail?			
	a. Drinking water / RO water / Borewell water / Open well water / Pond water / Municipal or Corporation water use and to check quality of water through Physico-chemical properties analysis	✓		
	b. Wastewater treatment facility	✓		
	c. Sufficient number of trees, shrubs, herbs and lawns	✓		
	d. Solid waste management facility	✓		
	e. Availability of Biogas plant	✓		
	f. Rain harvesting system, water reservoirs, etc.	✓		
	g. Aquarium and aquatic (hydrophytes) plants	✓		
	h. Establishment of terrace garden, herbal garden, kitchen, zodiac, ornamental gardens, etc.	✓		
	i. Natural Topography or Forest, Planted vegetation	✓		
	j. Water well, Bore well, lake, water reservoir facility	✓		
	k. Water consumption towards plant cultivation, canteen, hostel, machinery cleaning, transport, toilet use	✓		
	l. Treated water consumption towards plant cultivation, machinery cleaning, transport, toilet use and etc.	✓		
	m. Per capita water consumption per day calculated (45L/P/C/D)	✓		
7.	Whether plants are tagged properly with their common name and Botanical name for stakeholders?	✓		
8.	Signing of MoU with Govt. and NGOs to disseminate Green campus motto and pledge	✓		
9.	Biodiversity conservation of plants, animals and wildlife, genetic resources (Endangered and endemic species) at each appropriate function and level?	✓		

10.	Are any biofertilizers, organic manures, farmyard manures, vermicompost, green manures and chemical fertilizers used for maintaining plants?	✓		
11.	Establishment of herbal garden, zodiac garden, medicinal garden, kitchen garden, terrace garden and ornamental plants garden in the campus	✓		
12.	Implementation of Government schemes (Swatch Bharath Abhiyan under Clean India Mission)	✓		
13.	Functioning of Nature club, Eco club, Cell, Forum, Association, NCC/Student Force, NSS bodies and Social Service League for students and staff members on biodiversity conservation, green campus development, etc.	✓		
14.	Conduction of awareness programmes and cultural activities on global warming, environmental changes and ecosystem maintenance to the stakeholders	✓		
15.	Conduction of outreach programmes for dissemination of green campus initiatives, natural resources, environmental pollution and biodiversity conservation to rural, tribal and urban people	✓		
16.	Implementation of composting pits, vermicompost unit, recycling of kitchen wastes collected from Hostels, Canteens, Cafeteria, Food court and other places	✓		
17.	Maintenance of plantations in the campus and steps taken for water scarcity during summer season to maintain plants	✓		
18.	Steps taken for organic, inorganic, toxic, e-waste, biomedical, food, sewage waste management, segregation of wastes and reuse methods	✓		
19.	Public transport, low-emitting vehicles and control of car smokes and exhaust towards environment monitoring	✓		
20.	Observation on the site preservation, soil erosion control and landscape management	✓		
21.	Projects and Dissertation works and Scholarly publications on environmental science and management carried out by students and staff members	✓		
22.	Implementation of advanced methods for watering plantations (Drip irrigation, Sprinkler irrigation, etc.)	✓		
23.	Use of metering for water utility, IoT based watering, automation, water device, remote water lines, etc.		✓	
24.	Percentage of Organization's budget for environment sustainability efforts	✓		

25.	Campus facilities for disabled, special needs and or maternity care including security, safety and health infrastructure facilities for stakeholder's wellbeing	✓		
-----	---	---	--	--

### 13.2. Table 4. Quantitative Measurements of Green Auditing

S.No.	Details of Plant and animal species	Numbers / Percentage
1.	Total number of Flowering plant species inside the Campus	346 species belonging to 220 Genera under 180 families
2.	Total number of Non-Flowering plant species inside the Campus	10 species belonging to Lichens, Algae, Pteridophytes, Bryophytes and Mycoflora
3.	Total number of living Mammals inside the Campus	8 such as Cats, Mice
4.	Total number of visiting Mammals inside the Campus	10 species such as Rabbit, Squirrel, etc.,
5.	Total number of living Birds inside the Campus	64 species belonging Common Myna, , House Sparrow, King- crow, House Crow, Jungle Babbler, , Honey bird etc.,
6.	Total number of visiting Birds inside the Campus	2 species belonging Mangrove heron, Common Wood shrike, Peacock. etc.,
7.	Total number of Aquarium	01
8.	Total number of Aquatic (hydrophytes) plant species	-
9.	Total number of Grasshopper and Termites	Grasshopper: 3 species Termites: 01 species
10.	Total number of Amphibians and Reptiles	Amphibians: 3 species Reptiles: 15 species
11.	Total number of Butterflies and Mosquitos	Butterflies : 20 species Mosquitos: 02 species
12.	Percentage of Forest Vegetation	16339.857 m <sup>2</sup>
13.	Percentage of Planted Vegetation	282986.227 m <sup>2</sup>
14.	Percentage of Water consumption to total human population	NA
15.	Percentage of Water consumption to total flora and fauna	NA
16.	Per capita water consumption per day	119.92 persons



### 13.3. Flora and Fauna diversity in the Yenepoya (Deemed to be University)

#### 13.3.1. Flora diversity in the Yenepoya (Deemed to be University)

##### 13.3.1.1. Flowering plants diversity in the Yenepoya (Deemed to be University)

Ensuring the rich biodiversity in the green campus is an important parameter which reflects the real-time ecosystem. Plants are indicators for assessing the varying levels of environmental quality. In general, plants improve the outdoor air quality with increased oxygen levels and reduced temperature and carbon dioxide. The green and varying colour of the flowering plants improve the ambience of the Organization environment. The record on maintenance of the plant biomass and its management are important with respect to green campus initiatives. The existence of such plants and birds in the green campus may be recorded for the rich flora and fauna which are being considered as a value addition to the campus.

The observations indicated that the Yenepoya (Deemed to be University), Mangalore has more than 30-50% of wild, 50-60% native plant species and the other 40-55% plant species are ornamental in nature coming under the planted vegetation. Native plant traits promote the indigenous fauna at the site area. Hence, the accountancy of 45% of the wild traits are leveraged for the native animals and birds. The most probable natural vegetation of Yenepoya (Deemed to be University), Mangalore is the dry deciduous type. The remnants of this past vegetation are found in the campus.

The most plants recorded are *Cocus nucifera* L., *Azadirachta indica* A. Juss., *Musa balbisiana*, *Pongamia pinnata*, *Cassia fistula*, which are dominant trees species characteristic to the vegetation within the campus. Some of the shrub species like *Nerium oleander* L., *Hibiscus rosa-sinensis* L., *Punica granatum*, and *Alpinia purpurata* are also rather common in the campus.

Ground flora is comparatively sparse, but fairly rich in undistributed areas. Some of the common weeds like *Euphorbia hirta* L., is found to be predominant. Species such as *Acalypha indica* L., *Achyranthes aspera* L., *Catharanthus roseus* (L.) dryand, *Cynodon dactylon* are some common herbs in the campus.


Certain common climbers found among the shrubs are *Cardiospermum halicacabum* L., *Tinospora cordifolia* (wild.), *Cocculus hirsutus* (L.) W. Theob, *Ipomoea cairica* (L.) Sweet, *Ipomoea obscura* (L.) Ker Gawl. This campus is rich in grass species like *Rottboellia cochinchinensis* (Lour.), and *Asparagus racemosus* Wild., *Commelina benghalensis* L.

Most of the species found are common in the campus, some of the species *Aglaomorpha quercifolia*, *Calathea zebrina*, are rare species. Some endemic grass species like *Andropogon pumilus* Roxb., and *Perotis indica* (L.) Kuntze are also occurring in the campus. Number of above species decreased in number and a few face the danger of going extinct due to anthropogenic activities (regular clearing and construction activities). Hence in terms of conserving the available floral biodiversity, it is pertinent to set up a botanical garden within the campus and cultivate them while protect the ones that grow naturally on the grounds upon the vegetation maintenance.


### Invasive species

The campus has invasive species such as *Datura metal* L., *Borassus flabellifer* L., This is clearly indicated disturbances to the natural setting in the vegetated areas. The alien / exotic species viz., *Tamarindus indica* L. and *Tecoma stans* (L.) Kunth are occur in the campus.


Some of the species are utilized as fruit yielding like *Annona squamosa* L. *Mangifera indica* L. (Maa) and Species such as *Bougainvillea glabra*, *Plumeria alba* L. and *Cordia sebestina* L. are exploited for their attractive flowers.



**Systematic groups of the plants in the Yenepoya (Deemed to be University), Mangalore**



**Analysis of habit-wise distribution of plant species in the campus area**



**Plant families with higher number of species in the campus area**

The biodiversity of Yenepoya (Deemed to be University), Mangalore comprises a sum of 346 species belonging to 220 genera under 180 families besides the lichens, mycoflora, pteridophytes and bryophytes. Among the documented higher plants, Dicots are dominating with 62.5 families followed by monocots (37.5 families). Over all analysis revealed that trees were dominating flora (25%) followed by herbs (16%), shrubs (25%), weeds (27%) and climbers (7%). Among the documented dicots, Polypetalae formed a major proportion with 55 families, 20 genera and 110 species;

Gamopetalae with 48 families, 12 genera and 82 species while Monochlamydeae with 37 families, 10 genera and 73 species. In monocots 40 families are spreading over 8 genera belonging to 81 species. Fabaceae is first dominant family and followed Poaceae, Rubiaceae, Euphorbiaceae, Cyperaceae, Lamiaceae, and Moraceae with 23, 21, 14, 13, 10, 9 and 7 species respectively. At the time of green campus audit at Yenepoya (Deemed to be University), Mangalore, a total of 5 invasive floral species were recorded. This clearly specified the disturbances to the natural setting in the vegetated sector.

**Table 5. List of Flowering plants in the Yenepoya (Deemed to be University), Mangalore**

S.NO	Scientific Name	COMMON NAME	FAMILY	HABIT
1.	<i>Achetaria azurea</i>	Brazilian Snapdragon	Plantaginaceae	Herb
2.	<i>Achyranthes aspera</i>	Prickly Chaff Flower	Asparagaceae	Herb
3.	<i>Acorus calamus</i>	Sweet Flag	Acoraceae	Herb
4.	<i>Aerva lanata</i>	Mountain Knot Grass	Amaranthaceae	Herb
5.	<i>Agave amica</i>	Double Pearl	Asparagaceae	Herb
6.	<i>Aglaomorpha quercifolia</i>	Oakleaf Fern	Ploypodiaceae	Herb
7.	<i>Aloe babadensis</i>	Aloe-Vera	Liliaceae	Herb
8.	<i>Alpinia calcarata</i>	Snap Ginger	Zingiberaceae	Herb
9.	<i>Alpinia purpurata</i>	Red Ginger	Zingiberaceae	Herb
10.	<i>Alternanthera bettzickiana</i>	Green Hedge	Amaranthaceae	Herb
11.	<i>Andrographis paniculata</i>	Green Cherata	Acanthaceae	Herb
12.	<i>Bacopa monnieri</i>	Water Hyssop	Plantaginaceae	Herb
13.	<i>Boerhavia diffusa</i>	Punarnava	Nyctaginaceae	Herb
14.	<i>Caladium bicolor</i>	Angles Wings	Araceae	Herb
15.	<i>Calathea zebrina</i>	Zebra Plant	Marantaceae	Herb
16.	<i>Canna generalis</i>	Indian Shot	Cannaceae	Herb
17.	<i>Catharanthus roseus</i>	Bright Eyes	Apocyanaceae	Herb
18.	<i>Centella asiatica</i>	Indian Pennywort	Apiaceae	Herb
19.	<i>Chrysothemis pulchella</i>	Sunset Bell	Gesneriaceae	Herb
20.	<i>Clinacanthus nutans</i>	Sabah Snake Grass	Acanthaceae	Herb
21.	<i>Coleus amboinicus</i>	Mexican Mint	Lamiaceae	Herb
22.	<i>Colocasia esculenta</i>	Taro	Araceae	Herb
23.	<i>Costus pictus</i>	Spiral Flag	Costaceae	Herb
24.	<i>Curcuma longa</i>	Turmeric	Zingiberaceae	Herb
25.	<i>Dieffenbachia amoena</i>	Dumb Cane	Aracaceae	Herb
26.	<i>Eclipta prostrata</i>	False Daisy	Asteraceae	Herb
27.	<i>Etlingera elatior</i>	Torch Ginger	Zingiberaceae	Herb
28.	<i>Gerbera sp.</i>	Barberton Daisy	Asteraceae	Herb

29.	<i>Heliconia psittacorum</i>	Parakeet Flower	Heliconiaceae	Herb
30.	<i>Heliconia rostrata</i>	Lobster Claw	Heliconiaceae	Herb
31.	<i>Hemigraphis alternata</i>	Red Ivy	Acanthaceae	Herb
32.	<i>Hymenocallis littoralis</i>	Beach Spider Lily	Amaryllidaceae	Herb
33.	<i>Impatiens balsamina</i>	Garden Balsam	Balsaminaceae	Herb
34.	<i>Ipomoea batatas</i>	Sweet Potato	Convolvulaceae	Herb
35.	<i>Leucas lavandulifolia</i>	Lavender Leaved Leucas	Lamiaceae	Herb
36.	<i>Maranta arundinacea</i>	Arrowroot	Marantaceae	Herb
37.	<i>Musa paradisiaca</i>	Banana	Musaceae	Herb
38.	<i>Nephrolepis exaltata</i>	Boston Fern	Lomariopsidaceae	Herb
39.	<i>Ocimum tenuiflorum</i>	Tulsi	Lamiaceae	Herb
40.	<i>Ophiopogon japonicus</i>	Mondo Grass	Asparagaceae	Herb
41.	<i>Philodendron</i>	Heartleaf	Araceae	Herb
42.	<i>Phyllanthus amarus</i>	Amla	Phyllanthaceae	Herb
43.	<i>Plumbago zeylanica</i>	Safed Chitrak Plant	Plumbaginaceae	Herb
44.	<i>Portulaca grandiflora</i>	Mexican Rose	Portulacaceae	Herb
45.	<i>Ruellia simplex</i>	Mexican Bluebell	Acanthaceae	Herb
46.	<i>Spathiphyllum</i>	Spath	Araceae	Herb
47.	<i>Spathoglottis plicata</i>	Pseudobulbs	Orchidaceae	Herb
48.	<i>Syngonium podophyllum</i>	African Evergreen	Araceae	Herb
49.	<i>Tagetes erecta</i>	Mexican Marigold	Asteraceae	Herb
50.	<i>Tradescantia spathacea</i>	Tradescantia Spathacea	Commelinaceae	Herb
51.	<i>Tradescantia zebrina</i>	Silver Inch Plant	Commelinaceae	Herb
52.	<i>Vernonia cinerea</i>	Dandotapala	Asteraceae	Herb
53.	<i>Vetiveria zizanioides</i>	Vetiver	Poaceae	Herb
54.	<i>Wedelia trilobata</i>	Yellow Creeping Daisy	Asteraceae	Herb
55.	<i>Xanthosoma sagittifolium</i>	Tannia	Araceae	Herb
56.	<i>Zephyranthes candida</i>	Rain Lily	Amaryllidaceae	Herb
57.	<i>Zephyranthes carinata</i>	Pink Rain Lily	Amaryllidaceae	Shrub
58.	<i>Acalypha hispida</i>	Chenille Plant	Euphorbiaceae	Shrub
59.	<i>Acalypha wilkesiana</i>	Fire Fiji Plant	Euphorbiaceae	Shrub
60.	<i>Adhatoda zeylanica</i>	Malabar Nut	Acanthaceae	Shrub
61.	<i>Ardisia elliptica</i>	China Shrub	Primulaceae	Shrub
62.	<i>Asparagus densiflorus</i>	Asparagus Fern	Asparagaceae	Shrub
63.	<i>Bambusa heterostachya</i>	Malay Dwarf Green	Poaceae	Shrub
64.	<i>Barleria cristata</i>	Philippine Violet	Acanthaceae.	Shrub
65.	<i>Bauhinia acuminata</i>	Orchid Tree	Fabaceae	Shrub
66.	<i>Bauhinia tomentosa</i>	Yellow Bauhinia	Fabaceae	Shrub
67.	<i>Bixa orellana</i>	Lipstick Tree	Bixaceae	Shrub

68.	<i>Breynia vitis-idaea</i>	Mountain Coffee Bush	Phyllanthaceae	Shrub
69.	<i>Caesalpinia pulcherima</i>	Peacock Flower	Fabaceae	Shrub
70.	<i>Calotropis gigantea</i>	Crown Flower	Apocynaceae	Shrub
71.	<i>Calotropis procera</i>	Giant Milkweed	Apocynaceae	Shrub
72.	<i>Carissa spinarum</i>	Bush Plum	Apocynaceae	Shrub
73.	<i>Clerodendrum inerme</i>	Glory Bower	Lamiaceae	Shrub
74.	<i>Codiaeum variegatum</i>	Joseph's Coat	Euphorbiaceae	Shrub
75.	<i>Cordyline fruticosa</i>	Hawaiian Ti Plant	Asparagaceae	Shrub
76.	<i>Cuphea hyssopifolia</i>	Mexican Heather	Lythraceae	Shrub
77.	<i>Dracaena braunii</i>	Dragon Tree	Asparagaceae	Shrub
78.	<i>Dracaena godseffiana</i>	Gold Dust Dracaena	Asparagaceae	Shrub
79.	<i>Dracaena marginata</i>	Madagascar Dragon Tree	Asparagaceae	Shrub
80.	<i>Dracaena reflexa</i>	Song Of India	Asparagaceae	Shrub
81.	<i>Duranta erecta</i>	Golden Dewdrop	Verbenaceae	Shrub
82.	<i>Euodia ridleyi</i>	Evodia	Rutaceae	Shrub
83.	<i>Euphorbia milii</i>	Crown Of Thorns	Euphorbiaceae	Shrub
84.	<i>Euphorbia trigona</i>	African Milk Tree	Euphorbiaceae	Shrub
85.	<i>Excoecaria cochinchinensis</i>	Chinese Croton	Euphorbiaceae	Shrub
86.	<i>Gardenia jasminoides</i>	Cape Jasmine	Rubiaceae	Shrub
87.	<i>Graptophyllum pictum</i>	Caricature-Plant	Acanthaceae	Shrub
88.	<i>Hamelia patens</i>	Fire Bush	Rubiaceae	Shrub
89.	<i>Hibiscus rosa-sinensis</i>	Shoeblack Plant	Malvaceae	Shrub
90.	<i>Hibiscus schizopetalus</i>	Fringed Rosemallow	Malvaceae	Shrub
91.	<i>Hydrangea macrophylla</i>	Penny Mac	Hydrangeaceae	Shrub
92.	<i>Ixora casei</i>	Flame Of The Woods	Rubiaceae	Shrub
93.	<i>Ixora chinensis</i>	Chinese Ixora	Rubiaceae	Shrub
94.	<i>Ixora finlaysoniana</i>	White Jungle Flame	Rubiaceae	Shrub
95.	<i>Ixora sp.</i>	Scarlet Jungle Flame	Rubiaceae	Shrub
96.	<i>Jatropha curcas</i>	Purging Nut	Euphorbiaceae	Shrub
97.	<i>Jatropha gossipifolia</i>	Bellyache Bush	Euphorbiaceae	Shrub
98.	<i>Jatropha integerrima</i>	Asthma Weed	Euphorbiaceae	Shrub
99.	<i>Jatropha pandurifolia</i>	Belly-Ache Bush	Euphorbiaceae	Shrub
100.	<i>Justicia gendarussa</i>	Willow-Leaved Justicia	Acanthaceae	Shrub
101.	<i>Lantana camara</i>	Lantana	Verbenaceae	Shrub
102.	<i>Lantana montevidensis</i>	Trailing Lantana	Verbenaceae	Shrub
103.	<i>Lawsonia inermis</i>	Henna Tree	Lythraceae	Shrub

104.	<i>Leea indica</i>	Bandicoot Berry	Vitaceae	Shrub
105.	<i>Malvaviscus penduliflorus</i>	Mazapan	Malvaceae	Shrub
106.	<i>Melicope denhamii</i>	Evodia	Rutaceae	Shrub
107.	<i>Morinda citrifolia</i>	Indian Mulberry	Rubiaceae	Shrub
108.	<i>Mussaenda philippica</i>	Tropical Dogwood	Rubiaceae	Shrub
109.	<i>Nerium oleander</i>	Rose Bay	Apocynaceae	Shrub
110.	<i>Nymphaea stellata</i>	Indian Blue Water Lily	Nymphaeaceae	Shrub
111.	<i>Osmoxylon lineare</i>	Green Aralia	Araliaceae	Shrub
112.	<i>Pandanus tectorius</i>	Screw Pine	Pandanaceae	Shrub
113.	<i>Phyllanthus myrtifolius</i>	Mousetail Plant	Phyllanthaceae	Shrub
114.	<i>Pisonia umbellifera</i>	Lettuce Tree	Nyctaginaceae	Shrub
115.	<i>Polyscias filicifolia</i>	Fern-Leaf Aralia	Araliaceae	Shrub
116.	<i>Polyscias guilfoylei</i>	Frosted Aralia	Araliaceae	Shrub
117.	<i>Polyscias paniculata</i>	Ming Aralia	Araliaceae	Shrub
118.	<i>Polyscias scutellaria</i>	Balfour Aralia	Araliaceae	Shrub
119.	<i>Premna serratifolia</i>	Headache Tree	Lamiaceae.	Shrub
120.	<i>Pseuderanthemum carruthersii</i>	Purple False Eranthemum	Acanthaceae	Shrub
121.	<i>Punica granatum</i>	Pomegranate	Lythraceae	Shrub
122.	<i>Rauvolfia serpentina</i>	Indian Snakeroot	Apocynaceae	Shrub
123.	<i>Rhapis excels</i>	Bamboo Palm	Arecaceae	Shrub
124.	<i>Ricinis communis</i>	Castor Oil Plant	Euphorbiaceae	Shrub
125.	<i>Rosa sp.</i>	Rose	Rosaceae	Shrub
126.	<i>Rothea serrata</i>	Blue Fountain Bush	Lamiaceae	Shrub
127.	<i>Russelia equisetiformis</i>	Coral Plant	Plantaginaceae	Shrub
128.	<i>Sanchezia nobilis</i>	Tiger Plant	Acanthaceae	Shrub
129.	<i>Sansevieria trifasciata</i>	Snake Plant	Asparagaceae	Shrub
130.	<i>Schefflera arboricola</i>	Umbrella Plant	Araliaceae	Shrub
131.	<i>Senna occidentalis</i>	Antbush	Fabaceae	Shrub
132.	<i>Solanum torvum</i>	Turkey Berry	Solanaceae	Shrub
133.	<i>Syzygium australe</i>	Brush Cherry	Myrtaceae	Shrub
134.	<i>Tabernaemontana divaricata</i>	Pinwheel Flower	Apocynaceae	Shrub
135.	<i>Tecoma castanifolia</i>	Chestnutleaf Trumpetbush	Bignoniaceae	Shrub
136.	<i>Tecoma fulva</i>	Yellow Elder	Bignoniaceae	Shrub
137.	<i>Tephrosia purpurea</i>	Wild Indigo	Fabaceae	Shrub
138.	<i>Tibouchina urvilleana</i>	Princess Flower	Melastomataceae	Shrub
139.	<i>Turnera subulata</i>	White Alder	Turneraceae	Shrub
140.	<i>Turnera ulmifolia</i>	Turnera Ulmifolia	Turneraceae	Shrub
141.	<i>Vitex negundo</i>	Chinese Chaste Tree	Verbenaceae	Shrub
142.	<i>Woodfordia fruticosa</i>	Fire Flame Bush	Lythraceae	Shrub

143.	<i>Wrightia antidysenterica</i>	Artic Snow	Apocynaceae	Shrub
144.	<i>Acacia caesia</i>	Black Catechu	Leguminosae	Climber
145.	<i>Allamanda blanchetii</i>	Purple Allamanda	Apocynaceae	Climber
146.	<i>Allamanda cathartica</i>	Golden Trumpet	Apocynaceae	Climber
147.	<i>Antigonon leptopus</i>	Coral Vine	Polygonaceae	Climber
148.	<i>Asparagus racemosus</i>	Satamuli	Liliaceae	Climber
149.	<i>Bougainvillea buttiana</i>	Paperflower	Nyctaginaceae	Climber
150.	<i>Cissus repanda</i>	Pani Bel	Vitaceae	Climber
151.	<i>Clematis gouriana</i>	Indian Traveller's Joy	Ranunculaceae	Climber
152.	<i>Clerodendrum splendens</i>	Flaming Glory Bower	Verbenaceae	Climber
153.	<i>Clitoria ternatea</i>	Butterfly Pea	Leguminosae	Climber
154.	<i>Coscinium fenestratum</i>	Tree Turmeric	Menispermaceae	Climber
155.	<i>Epipremnum pinnatum</i>	Dragon-Tail Plant	Araceae	Climber
156.	<i>Hemidesmus indicus</i>	Indian Sarsaparilla	Asclepiadaceae	Climber
157.	<i>Lonicera japonica</i>	Japanese Honeysuckle	Caprifoliaceae	Climber
158.	<i>Marsdenia sylvestris</i>	Rajmahal Hemp	Apocynaceae	Climber
159.	<i>Mussaenda laxa</i>	Bellotti-Gida	Rubiaceae	Climber
160.	<i>Passiflora foetida</i>	Wild Water Lemon	Passifloraceae	Climber
161.	<i>Philodendron cordatum</i>	Sweetheart Plant	Araceae	Climber
162.	<i>Piper longum</i>	Long Pepper	Piperaceae	Climber
163.	<i>Quisqualis indica</i>	Rangoon Creeper	Combretaceae	Climber
164.	<i>Syngonium podophyllum</i>	African Evergreen	Araceae	Climber
165.	<i>Thunbergia fragrans</i>	Sweet Clock-Vine	Acanthaceae	Climber
166.	<i>Thunbergia grandiflora</i>	Bengal Clockvine	Acanthaceae	Climber
167.	<i>Tinospora cordifolia</i>	Guduchi	Menispermaceae	Climber
168.	<i>Acacia auriculiformis</i>	Earleaf Acacia	Mimosaceae	Tree
169.	<i>Acacia mangium</i>	Black Wattle	Fabaceae	Tree
170.	<i>Aegle marmelos</i>	Japanese Bitter Orange	Rutaceae	Tree
171.	<i>Ailanthus triphysa</i>	White Siris	Simaroubaceae	Tree
172.	<i>Albizia saman</i>	Rain Tree	Fabaceae	Tree
173.	<i>Alstonia scholaris</i>	Blackboard Tree	Apocynaceae	Tree
174.	<i>Annona muricata</i>	Guyabano	Annonaceae	Tree
175.	<i>Aphanamixis polystachya</i>	Amoora	Meliaceae	Tree
176.	<i>Areca catechu</i>	Areca Palm	Arecaceae	Tree
177.	<i>Artocarpus heterophyllus</i>	Jack Tree	Moraceae	Tree
178.	<i>Artocarpus hirsutus</i>	Wild Jack	Moraceae	Tree
179.	<i>Averrhoa bilimbi</i>	Cucumber Tree	Oxalidaceae	Tree
180.	<i>Azadirachta indica</i>	Neem	Meliaceae	Tree
181.	<i>Bambusa vulgaris</i>	Bamboo	Poaceae	Tree
182.	<i>Brownia coccinea</i>	Brownea	Fabaceae	Tree



183.	<i>Butea monosperma</i>	Flame-Of-The-Forest	Fabaceae	Tree
184.	<i>Callistemon citrinus</i>	Bottlebrush	Myrtaceae	Tree
185.	<i>Careya arborea</i>	Wild Guava	Lecythidaceae	Tree
186.	<i>Carica papaya</i>	Papaya	Caricaceae	Tree
187.	<i>Caryota urens</i>	Solitary Fishtail Palm	Arecaceae	Tree
188.	<i>Cascabela thevetia</i>	Yellow Oleander	Apocynaceae	Tree
189.	<i>Cassia fistula</i>	Golden Shower	Fabaceae	Tree
190.	<i>Cassia roxburghii</i>	Red Cassia	Fabaceae	Tree
191.	<i>Citrus aurantifolia</i>	Lime	Rutaceae	Tree
192.	<i>Cochlospermum religiosum</i>	Buttercup Tree	Bixaceae	Tree
193.	<i>Cocos nucifera</i>	Coconut Palm	Arecaceae	Tree
194.	<i>Cyrtostachys renda</i>	Lipstick Palm	Arecaceae	Tree
195.	<i>Dalbergia latifolia</i>	Sitsal	Papilionoideae	Tree
196.	<i>Delonix regia</i>	Royal Poinciana	Caesalpiniaceae	Tree
197.	<i>Drypetes roxburghii</i>	Putranjeev	Putranjivaceae	Tree
198.	<i>Dypsis lutescens</i>	Bamboo Palm	Arecaceae	Tree
199.	<i>Elaeocarpus ganitrus</i>	Utrasum Bean	Elaeocarpaceae	Tree
200.	<i>Erythrina variegata</i>	Indian Coral Tree	Fabaceae	Tree
201.	<i>Ficus benjamina</i>	Weeping Fig	Moraceae	Tree
202.	<i>Ficus exasperata</i>	Sandpaper Tree	Moraceae	Tree
203.	<i>Ficus hispida</i>	Hairy Fig	Moraceae	Tree
204.	<i>Ficus racemosa</i>	Cluster Fig	Moraceae	Tree
205.	<i>Ficus religiosa</i>	Peepal Tree	Moraceae	Tree
206.	<i>Flacourtia montana</i>	Mountain Sweet	Salicaceae	Tree
207.	<i>Garcinia indica</i>	Kokum	Clusiaceae	Tree
208.	<i>Gmelina arborea</i>	Beechwood	Lamiaceae	Tree
209.	<i>Grevillea robusta</i>	Silver Oak	Proteaceae	Tree
210.	<i>Hopea ponga</i>	Kambakam	Dipterocarpaceae	Tree
211.	<i>Lagerstroemia speciosa</i>	Pride Of India	Lythraceae	Tree
212.	<i>Leucaena leucocephala</i>	Pearl Wattle	Mimosaceae	Tree
213.	<i>Livistona rotundifolia</i>	Table Palm	Arecaceae	Tree
214.	<i>Macaranga peltata</i>	Bettadavare	Euphorbiaceae	Tree
215.	<i>Magnolia champaca</i>	Champak	Magnoliaceae	Tree
216.	<i>Mangifera indica</i>	Mango	Anacardiaceae	Tree
217.	<i>Melaleuca leucadendron</i>	Cajeput Tree	Myrtaceae	Tree
218.	<i>Mesua ferrea</i>	Ceylon Ironwood	Calophyllaceae	Tree
219.	<i>Mimusops elengi</i>	Spanish Cherry	Sapotaceae	Tree
220.	<i>Morinda citrifolia</i>	Indian Mulberry	Rubiaceae	Tree
221.	<i>Moringa oleifera</i>	Drumstick Tree	Moringaceae	Tree
222.	<i>Muntingia calabura</i>	Malayan Cherry	Muntingiaceae	Tree
223.	<i>Myristica malabarica</i>	Malabar Nutmeg	Myristicaceae	Tree

224.	<i>Neolamarckia cadamba</i>	Bur-Flower Tree	Rubiaceae	Tree
225.	<i>Nephelium lappaceum</i>	Rambutan	Sapindaceae	Tree
226.	<i>Persea macrantha</i>	Large-Flowered Bay	Lauraceae	Tree
227.	<i>Phyllanthus acidus</i>	Tahitian Gooseberry	Phyllanthaceae	Tree
228.	<i>Phyllanthus emblica</i>	Indian Gooseberry	Phyllanthaceae	Tree
229.	<i>Pimenta dioica</i>	Allspice	Myrtaceae	Tree
230.	<i>Plumeria obtusa</i>	Great White Frangipani	Apocynaceae	Tree
231.	<i>Plumeria rubra</i>	Frangipani	Apocynaceae	Tree
232.	<i>Polyalthia longifolia</i>	False Ashoka	Annonaceae	Tree
233.	<i>Premna serratifolia</i>	Headache Tree	Lamiaceae	Tree
234.	<i>Prosopis cineraria</i>	Parambai	Fabaceae	Tree
235.	<i>Pterocarpus marsupium</i>	Pitsal	Fabaceae	Tree
236.	<i>Ptychosperma macarthurii</i>	Mac Arthur Palm	Arecaceae	Tree
237.	<i>Roystonea regia</i>	Florida Royal Palm	Arecaceae	Tree
238.	<i>Santalum album</i>	East Indian Sandalwood	Santalaceae	Tree
239.	<i>Saraca asoca</i>	Ashoka Tree	Caesalpiniaceae	Tree
240.	<i>Schefflera actinophylla</i>	Umbrella Tree	Araliaceae	Tree
241.	<i>Senna siamea</i>	Siamese Cassia	Fabaceae	Tree
242.	<i>Spathodea campanulata</i>	African Tulip	Bignoniaceae	Tree
243.	<i>Swietenia macrophylla</i>	Big Leaf Mahogany	Meliaceae	Tree
244.	<i>Syzygium cumini</i>	Malabar Plum	Myrtaceae	Tree
245.	<i>Syzygium jambos</i>	Rose Apple	Myrtaceae	Tree
246.	<i>Syzygium samarangense</i>	Water Apple	Myrtaceae	Tree
247.	<i>Tabebuia aurea</i>	Caribbean Trumpet	Bignoniaceae	Tree
248.	<i>Terminalia arjuna</i>	Arjuna	Combretaceae	Tree
249.	<i>Terminalia catappa</i>	Indian Almond	Combretaceae	Tree
250.	<i>Terminalia chebula</i>	Chebulic Myrobalan	Combretaceae	Tree
251.	<i>Thevetia peruviana</i>	Yellow Oleander	Apocynaceae	Tree
252.	<i>Wrightia tinctoria</i>	Sweet Indrajao	Apocynaceae	Tree
253.	<i>Adiantum lunulatum</i>	Walking Maidenhair Fern	Polypodiaceae	Weed
254.	<i>Ageratum conyzoides</i>	Chick Weed	Asteraceae	Weed
255.	<i>Alternanthera ficoidea</i>	Joseph's Coat	Amaranthaceae	Weed
256.	<i>Alysicarpus bupleurifolius</i>	Sweet Alys	Fabaceae	Weed
257.	<i>Alysicarpus vaginalis</i>	Alyce Clover	Fabaceae	Weed
258.	<i>Amaranthus hybridus</i>	Green Amaranth	Amaranthaceae	Weed
259.	<i>Asystasia variabilis</i>	Chinese Violet	Acanthaceae	Weed

260.	<i>Axonopus compressus</i>	Broad-Leaved Carpetgrass	Poaceae	Weed
261.	<i>Blumea sp.</i>	Lettuce-Leaf Blumea	Asteraceae	Weed
262.	<i>Brachiaria subquadripara</i>	Tropical Signalgrass	Poaceae	Weed
263.	<i>Cheilanthes tenuifolia</i>	Lip Ferns	Pteridaceae	Weed
264.	<i>Cheilocostus speciosus</i>	Crepe Ginger	Costaceae	Weed
265.	<i>Chloris barbata</i>	Swollen Fingergrass	Poaceae	Weed
266.	<i>Christella dentata</i>	Downy Maiden Fern	Thelypteridaceae	Weed
267.	<i>Cleome rutidosperma</i>	Fringed Spiderflower	Cleomaceae	Weed
268.	<i>Colocasia esculenta</i>	Taro	Araceae	Weed
269.	<i>Commelina diffusa</i>	Spreading Dayflower	Commelinaceae	Weed
270.	<i>Crotalaria pallida</i>	Rattlebox	Fabaceae	Weed
271.	<i>Cuscuta chinensis</i>	Chinese Dodder	Convolvulaceae	Weed
272.	<i>Cyanotis cristata</i>	Nabhali	Commelinaceae	Weed
273.	<i>Cyanthillium cinereum</i>	Little Ironweed	Asteraceae	Weed
274.	<i>Cynodon dactylon</i>	Bermuda Grass	Poaceae	Weed
275.	<i>Cyperus compressus</i>	Annual Sedge	Cyperaceae	Weed
276.	<i>Cyperus distans</i>	Slender Sedge	Cyperaceae	Weed
277.	<i>Cyperus iria</i>	Rice Flat Sedge	Cyperaceae	Weed
278.	<i>Cyperus javanicus</i>	Javanese Flatsedge	Cyperaceae	Weed
279.	<i>Cyperus rotundus</i>	Coco-Grass	Cyperaceae	Weed
280.	<i>Cyperus squarrosus</i>	Bearded Flatsedge	Cyperaceae	Weed
281.	<i>Dactyloctenium aegyptium</i>	Crowfoot Grass	Poaceae	Weed
282.	<i>Desmodium scorpiurus</i>	Samoan Clover	Fabaceae	Weed
283.	<i>Desmodium triflorum</i>	Three-Flowered Beggarweed	Fabaceae	Weed
284.	<i>Digitaria bicornis</i>	Asian Crabgrass	Poaceae	Weed
285.	<i>Digitaria longiflora</i>	Crabgrass	Poaceae	Weed
286.	<i>Digitaria setigera</i>	East India Crabgrass	Poaceae	Weed
287.	<i>Diploclisia glaucescens</i>	Battavalli	Menispermaceae	Weed
288.	<i>Drynaria quercifolia</i>	Oak Leaf Fern	Polypodiaceae	Weed
289.	<i>Echinochloa colona</i>	Jungle Rice	Poaceae	Weed
290.	<i>Eclipta prostrata</i>	False Daisy	Asteraceae	Weed
291.	<i>Eleusine indica</i>	Indian Goosegrass	Poaceae	Weed
292.	<i>Elytranthe parasitica</i>	Parasite Honeysuckle	Loranthaceae	Weed
293.	<i>Emilia sonchifolia</i>	Lilac Tasselflower	Asteraceae	Weed
294.	<i>Eragrostis amabilis</i>	Feather Lovegrass	Poaceae	Weed

295.	<i>Eragrostis nutans</i>	Lovegrass	Poaceae	Weed
296.	<i>Eragrostis unioloides</i>	Chinese Lovegrass	Poaceae	Weed
297.	<i>Euphorbia hirta</i>	Hairy Spurge	Euphorbiaceae	Weed
298.	<i>Evolvulus alsinoides</i>	Dwarf Morning-Glory	Convolvulaceae	Weed
299.	<i>Evolvulus nummularius</i>	Round Leaf Bindweed	Convolvulaceae	Weed
300.	<i>Fimbristlis dichotoma</i>	Forked Fimbry	Cyperaceae	Weed
301.	<i>Hybanthus enneaspermus</i>	Spade Flower	Violaceae	Weed
302.	<i>Impatiens minor</i>	Lesser Balsam	Balsaminaceae	Weed
303.	<i>Ipomoea triloba</i>	Little Bell	Convolvulaceae	Weed
304.	<i>Kyllinga brevifolia</i>	Shortleaf Spikesedge	Cyperaceae	Weed
305.	<i>Kyllinga nemoralis</i>	White Water Sedge	Cyperaceae	Weed
306.	<i>Laportea interrupta</i>	Hen's Nettle	Urticaceae	Weed
307.	<i>Lindernia antipoda</i>	Sparrow False Pimpernel	Linderniaceae	Weed
308.	<i>Lindernia ciliata</i>	Riceweeds	Linderniaceae	Weed
309.	<i>Lindernia crustacea</i>	Malaysian False Pimpernel	Linderniaceae	Weed
310.	<i>Ludwigia hyssopifolia</i>	Leaved Water Primrose	Onagraceae	Weed
311.	<i>Mecardonia procumbens</i>	Baby Jump-Up	Plantaginaceae	Weed
312.	<i>Mimosa pudica</i>	Sensitive Plant	Fabaceae	Weed
313.	<i>Mitracarpus hirtus</i>	Tropical Girdlepod	Rubiaceae	Weed
314.	<i>Mucuna pruriens</i>	Cowitch	Fabaceae	Weed
315.	<i>Murdannia nudiflora</i>	Nakedstem Dewflower	Commelinaceae	Weed
316.	<i>Oldenlandia corymbosa</i>	Two-Flowered Oldenlandia	Rubiaceae	Weed
317.	<i>Osbeckia muralis</i>	Cherkulathi	Melastomataceae	Weed
318.	<i>Oxalis corniculata</i>	Creeping Woodsorrel	Oxalidaceae	Weed
319.	<i>Panicum repens</i>	Creeping Panic	Poaceae	Weed
320.	<i>Pepromia pellucida</i>	Shiny Bush	Piperaceae	Weed
321.	<i>Phyllanthus amarus</i>	Gale Of Wind	Phyllanthaceae	Weed
322.	<i>Phyllanthus debilis</i>	Niruri	Phyllanthaceae	Weed
323.	<i>Phyllanthus tenellus</i>	Long Stalked Leaf-Flower	Phyllanthaceae	Weed
324.	<i>Phyllanthus urinaria</i>	Shatterstone	Phyllanthaceae	Weed
325.	<i>Phyllanthus virgatus</i>	Kjnotgrass	Phyllanthaceae	Weed
326.	<i>Physalis angulata</i>	Cutleaf Groundcheery	Solanaceae	Weed
327.	<i>Pilea microphylla</i>	Artillery Plant	Urticaceae	Weed
328.	<i>Pityrogramma calomelanos</i>	Silver Fern	Pteridaceae	Weed

329.	<i>Pogonatherum crinitum</i>	Slender Tuft Grass	Poaceae	Weed
330.	<i>Pteris confusa</i>	Chinese Brake	Pteridaceae	Weed
331.	<i>Pteris vittata</i>	Chinese Brake Fern	Pteridaceae	Weed
332.	<i>Pycneus pumilus</i>	Low Flatsedge	Cyperaceae	Weed
333.	<i>Rotala malampuzhensis</i>	Malampurha Rotala	Lythraceae	Weed
334.	<i>Rungia pectinata</i>	Comb Rungia	Acanthaceae	Weed
335.	<i>Scoparia dulcis</i>	Licorice Weed	Plantaginaceae	Weed
336.	<i>Selaginella ciliaris</i>	Spring - Fringed Spikemoss	Selaginellaceae	Weed
337.	<i>Sida alnifolia</i>	Arrow Leaf Sida	Malvaceae	Weed
338.	<i>Spermacoce exilis</i>	Pacific False Buttonweed	Rubiaceae	Weed
339.	<i>Sporobolus diandrus</i>	Drop Seed	Poaceae	Weed
340.	<i>Sporobolus tenuissimus</i>	Tropical Dropseed	Poaceae	Weed
341.	<i>Stemodia verticillata</i>	Whorled Twintip	Scrophulariaceae	Weed
342.	<i>Stylosanthes humilis</i>	Townsville Stylo	Fabaceae	Weed
343.	<i>Synedrella nodiflora</i>	Cinderella Weed	Asteraceae	Weed
344.	<i>Tridax procumbens</i>	Tridax Daisy	Asteraceae	Weed
345.	<i>Urena sinuata</i>	Bur Mallow	Malvaceae	Weed
346.	<i>Zoysia matrella</i>	Manila Grass	Poaceae	Weed



*Philodendron burle-marxii*



*Dracaena braunii*



*Dracaena reflexa*



*Hibiscus rosa-sinensis L.*



*Musa balbisiana*



*Cocus Nucifera L.*



*Alpinia purpurata*



*Euphorbia milii*




*Cordyline rubra*



*Azadiracta indica* L.




*Ficus binnendijkii*



*Livistona chinensis*

### 13.3.1.2. Lichen diversity in the Yenepoya (Deemed to be University)


Lichens are one of the most fascinating symbiotic organisms found worldwide. The lichens species are ubiquitous and common inhabitants of the bark of the tree, rock surface, soil etc. They are a lower group of plants coming under non-flowering plants that live in a variety of substrates under a wide range of environmental conditions with or without causing harm to the hosts. Ecologically, lichen plays important roles in soil formation; re-establishes life on earth; fixes atmospheric nitrogen; plant's health, ecology distribution, and in the formation of organic matter of habitat which in turn benefitting mosses in nutrient availability. A unique synergetic association between a fungal and an algal species results in lichens and occupied in plant kingdom. In this relationship both the organisms are mutually benefited. The algal partner may be cyanobacteria or the blue green algae and this is responsible for the process of photosynthesis. The algae thus provide food or nutrition for the fungi too. The fungal partner in turn provides space and protection for the algae. The lichen is an autotrophic organism in the sense that they can produce their own food by the process of photosynthesis. Even though the lichen is made up of two different organisms, the characteristics of the lichen are entirely different from the original characteristics of the algal and the fungal partner. Lichens are classified as micro lichens and macro lichens in which the microlichens cover the substrate on which they grow in the form of a crust whereas macro lichens grow in the form of a bush or a leaf like structure. The major forms of lichens are a) Foliose lichens exhibit a flat leaf like thallus, b) Fruticose lichens exhibit erect, pendulous and bushy thallus c) Squamulose lichens exhibit thallus with minute, scale like squamules and d) Crustose lichens exhibit flat crust shaped thallus.



Lichen diversity recorded in the Yenepoya (Deemed to be University), Mangalore showed a total of 4 different lichens species representing 4 genera and 4 families. Three species accounted for 5% of total available lichen diversity and identified up to species level while 3 were recognized to genus level. The observation on lichen diversity revealed that two types of crustose lichens growth forms



belonging to the genus, *Aspicilia* and *Buellia* were accounted 5% diversity coming under crustose lichens, one type of foliose lichens belonging to the genus, *Lecanora* and one type of Furticose lichen belonging to the genus, *Cladonia* were accounted.



**Table 6. Lichen diversity of the Yenepoya (Deemed to be University), with respect to family, substratum and growth forms in genus and family wise classification**

S.No	Lichen diversity of the Yenepoya (Deemed to be University)	Family	Growth forms
1.	<i>Aspicilia cuprea</i> Owe-Larss. & A.Nordin	Megasporaceae	Crustose
2.	<i>Buellia pullata</i> Tuck	Caliciaceae	Crustose
3.	<i>Graphis glauconigra</i> Vainio	Graphidaceaea	Furticose
4.	<i>Lecanora perplexa</i>	Lecanoraceae	Foliose
5.	<i>Usnea coralline</i> Mot	Parmeliaceae	Furticose

### 13.3.3. Algal diversity in the Yenepoya (Deemed to be University)

*Microcystis*, *Oscillatoria*, *Oedogonium*, *Spirogyra*, *Volvox*, *Chlamydomonas*, *Scytonema* and *Cladophora spp.* belonging to the class of Cyanophyceae, Chlorophyceae and Bacillariophyceae are the predominant species found in the campus. The families Chlorellaceae, Closteriaceae, Desmidiaceae, Radiococcaceae, Ulotrichaceae, Uronemataceae and Oedogoniaceae were represented by single genus and species. Chlorophyceae plays an important role in both terrestrial and aquatic ecosystem as most of the members are found to be ecologically important. The highest diversity of Chlorophyceae indicated relatively good health of atmosphere. The

presence of these algal species in abundance can be concluded that the Yenepoya (Deemed to be University), Mangalore ecosystem has high amount of organic nutrients in soil and rock. Generally, occurrence of abundant algal flora at a place indicates the availability of abundant nutrients along with conducive favourable environmental conditions.

### 13.3.1.3. Mushrooms diversity in the Yenepoya (Deemed to be University)

Mushrooms, edible basidiomycete, represent white rot fungi which contained higher amount of proteins, rich in minerals with medicinal properties. At present three mushroom varieties (white mushroom, the paddy-straw mushroom and the oyster mushroom) are being cultivated in India. These are most popular, economically sound to grow and is extensively cultivated throughout the world. Due to moderate temperature requirement for luxuriant growth, its cultivation are restricted to the cool climatic zones and during winter months in the hills of Mangalore region. Mushroom growth yield is influenced by the type of compost, spawn, temperature, percentage of moisture and also affected by the pests and disease-causing agents. There has been extensive discussed in recent years, as far as the production of fungal protein from domestic, agricultural and industrial wastes. Since mushrooms have a very short life span, it should reach to consumers within a short time or immediately canned. Mushroom growth is determined by means of carbohydrate content in the substrates like paddy straw, sugarcane molasses, saw wood dust and other plant waste materials.

The Yenepoya (Deemed to be University) has various mushroom types covering poisonous, edible and medicinal varieties such as white mushroom (*Agaricus bisporus*), oyster mushroom (*Pleurotus sajor-caju*), button mushroom (*Omphalotus olearius*) and other mushroom types such as *Amauroderma conjunctum*, *Ganoderma applanatum*, *Laccaria laccata* and *Volvariella bombycina*.

**Table 7. Macro Fungi found in the Yenepoya (Deemed to be University) Campus**

S.No	Scientific Name
1.	<i>Agaricus sp.</i>
2.	<i>Amylocarpus campbellii</i>
3.	<i>Auricularia auricula-judae</i>
4.	<i>Chlorophyllum molybdites</i>
5.	<i>Conocybe crispa</i>
6.	<i>Coprinus disseminatus</i>
7.	<i>Cystoagaricus trisulphuratus</i>
8.	<i>Dacryopinax spathularia</i>
9.	<i>Daldinia concentrica</i>
10.	<i>Ganoderma applanatum</i>
11.	<i>Ganoderma lucidum</i>
12.	<i>Gymnopilus lateritius</i>
13.	<i>Gymnopilus terricola</i>
14.	<i>Hexagonia tenuis</i>
15.	<i>Ileodictyon gracile</i>

16.	<i>Lentinus dicholamellatus</i>
17.	<i>Lentinus squarrosulus</i>
18.	<i>Lenzites betulina</i>
19.	<i>Lycoperdon mammiforme</i>
20.	<i>Lycoperdon utriforme</i>
21.	<i>Marasmiellus ignobilis</i>
22.	<i>Marasmiellus stenophyllus</i>
23.	<i>Marasmiellus subaurantiacus</i>
24.	<i>Marasmius androsaceus</i>
25.	<i>Marasmius haematocephalus</i>
26.	<i>Marsmius sp.</i>
27.	<i>Microporus vernicipes</i>
28.	<i>Mycena rosea</i>
29.	<i>Omphalotus olearius</i>
30.	<i>Phallus atrovolvatus</i>
31.	<i>Phallus duplicatus</i>
32.	<i>Phlebopus marginatus</i>
33.	<i>Polyporus sp.</i>
34.	<i>Pycnoporus cinnabarinus</i>
35.	<i>Schizophyllum commune</i>
36.	<i>Scutellinia setosa</i>
37.	<i>Termitomyces fuliginosus</i>
38.	<i>Tetrapyrgos nigripes</i>
39.	<i>Volvariella bombycina</i>
40.	<i>Xylaria multiplex</i>

### 13.3.2. Fauna Diversity in the Yenepoya (Deemed to be University)

#### 13.3.2.1. Birds Diversity in the Yenepoya (Deemed to be University)

The observations on fauna diversity indicated that the Yenepoya (Deemed to be University), Mangalore has a large number of living as well as visiting animals, birds, reptiles and insects including termites. A total number of 19 birds belonging to the 2 species were recorded from different habitats during winter and summer, of them one of which were endemic to the deccan plateau like purple rumped sunbird. Totally 9 species of birds representing 2 families and 2 orders were observed during this study, passeiformes constituted the predominated group representing 15. Total number of 4 bird species, out of them 2 species were migrant, 2 species were local migrant during winter and summer season because of unfavourable environment and low availability of food resources. Migratory bird species like Mangrove heron, Common Wood shrike, and Peacock.

**Table 8. Birds Diversity in the Yenepoya (Deemed to be University) Campus**

S. No	Common Name	Scientific Name
1.	Jungle myna	<i>Acridotheres fuscus</i>

2.	Bank Myna	<i>Acridotheres ginginianus</i>
3.	Common Myna	<i>Acridotheres tristis</i>
4.	Thick billed warbler	<i>Acrocephalus aedon</i>
5.	Common kingfisher	<i>Alcedo atthis</i>
6.	Rock pigeon	<i>Columba liviademestica</i>
7.	Indian jungle crow	<i>Corvus macrorhynchos</i>
8.	House Crow	<i>Corvus splendens</i>
9.	Common cuckoo	<i>Cuculus canorus</i>
10.	Bronzed drongo	<i>Dicrurus aeneus</i>
11.	White bellied	<i>Dicrurus caerulescens</i>
12.	King- crow	<i>Dicrurus macrocercus</i>
13.	Ashy drongo	<i>Dicrurus marrocercus</i>
14.	Green imperial	<i>Ducula aenea</i>
15.	Black eagle	<i>Ictinaetus malayensis</i>
16.	Little green bee eater	<i>Merops orientalis</i>
17.	House Sparrow	<i>Passer domesticus</i>

**Table 9. Total number of visiting birds in the Yenepoya (Deemed to be University), Mangalore**

S.No	Scientific Name
1.	<i>Pavo cristatus</i>
2.	<i>Gallus sonneratii</i>
3.	<i>Columba livia</i>
4.	<i>Streptopelia chinensis</i>
5.	<i>Treron phoenicopterus</i>
6.	<i>Hierococcyx varius</i>
7.	<i>Edynamys scolopaceus</i>
8.	<i>Amaurornis phoenicurus</i>
9.	<i>Ciconia episcopus</i>
10.	<i>Nycticorax nycticorax</i>
11.	<i>Ardeola grayii</i>
12.	<i>Bubulcus ibis</i>
13.	<i>Ardea cinerea</i>
14.	<i>Threskiornis melanocephalus</i>
15.	<i>Phalacrocorax fuscicollis</i>
16.	<i>Anhinga melanogaster</i>
17.	<i>Vanellus indicus</i>
18.	<i>Pernis ptilorhynchus</i>
19.	<i>Spilornis cheela</i>

20.	<i>Haliastur indus</i>
21.	<i>Milvus migrans</i>
22.	<i>Accipiter badius</i>
23.	<i>Tyto alba</i>
24.	<i>Dinopium benghalense</i>
25.	<i>Psilopogon viridis</i>
26.	<i>Merops orientalis</i>
27.	<i>Coracias benghalensis</i>
28.	<i>Alcedo atthis</i>
29.	<i>Ceryle rudis</i>
30.	<i>Halcyon smyrnensis</i>
31.	<i>Loriculus vernalis</i>
32.	<i>Psittacula cyanocephala</i>
33.	<i>Psittacula krameri</i>
34.	<i>Pitta brachyura</i>
35.	<i>Oriolus kundoo</i>
36.	<i>Aegithina tiphia</i>
37.	<i>Dicrurus macrocercus</i>
38.	<i>Lanius cristatus</i>
39.	<i>Corvus splendens</i>
40.	<i>Corvus macrorhynchos</i>
41.	<i>Dendrocitta vagabunda</i>
42.	<i>Terpsiphone paradisi</i>
43.	<i>Leptocoma zeylonica</i>
44.	<i>Cinnyris lotenius</i>
45.	<i>Arachnothera longirostrata</i>
46.	<i>Lonchura striata</i>
47.	<i>Lonchura punctulata</i>
48.	<i>Passer domesticus</i>
49.	<i>Anthus rufulus</i>
50.	<i>Motacilla maderaspatensis</i>
51.	<i>Mirafra erythroptera</i>
52.	<i>Prinia hodgsonii</i>
53.	<i>Prinia socialis</i>
54.	<i>Orthotomus sutorius</i>
55.	<i>Hirundo smithii</i>
56.	<i>Rubigula gularis</i>
57.	<i>Pycnonotus jocosus</i>
58.	<i>Pycnonotus cafer</i>
59.	<i>Pycnonotus sinensis</i>
60.	<i>Argya caudata</i>
61.	<i>Acridotheres tristis</i>
62.	<i>Copsychus saularis</i>

63.	<i>Saxicola caprata</i>
64.	<i>Geokichla citrina</i>


### 13.3.2.2. Butterflies diversity in the Yenepoya (Deemed to be University)

The Yenepoya (Deemed to be University), Mangalore has five family level diversities such as Papilionidae, Pieridae, Nymphalidae, Lycaenidae and Hesperidae in which Common butterflies species such as Mormon, Rose, Birdwing, Emigrant, Grass yellow, Gull Wanderer, Emigrant, Small Orange Tip, Plain Orange Tip, White Orange Tip, Yellow Orange Tip, Pioneer Chocolate, Pansy, Baron, Palmfly, Bush, Brown, Eggfly, Leopard, Sailer, Evening, Brown, Eggfly, Pansy, Grey and Pansy are commonly found

**Table 10. List of Butterflies recorded in the Yenepoya (Deemed to be University) Campus**

S.No.	Common Name	Scientific Name	Family
1.	Common hedge	<i>Actolepis puspa</i>	Lycaenidae
2.	Common Hedge Blue	<i>Acytolepis puspa</i>	Lycaenidae
3.	Pioneer	<i>Belenois aurota</i>	Pieridae
4.	Tamil yeoman	<i>Cirrochroa thais</i>	Nymphalidae
5.	Rustic	<i>Cupha erymanthis</i>	Nymphalidae
6.	Plain tiger	<i>Danaus chrysippus</i>	Lycaenidae
7.	African Marbled Skipper	<i>Gomalia elma</i>	Hesperidae
8.	Tailed jay	<i>Graphium agamemnon</i>	Papilionidae
9.	Common banded	<i>Hasora chromus</i>	Hesperidae
10.	Yellow Orange Tip	<i>Ixias pyrene</i>	Pieridae
11.	Common cerulean	<i>Jamides celeno</i>	Lycaenidae
12.	Lemon pansy	<i>Junonia lemonias</i>	Papilionidae
13.	Blueokleaf	<i>Kallima horsfieldi</i>	Nymphalidae
14.	Crimson rose	<i>Pachliopta hector</i>	Nymphalidae
15.	Common Lascar	<i>Pantoporia hordonia</i>	Nymphalidae
16.	Lime Butterfly	<i>Papilio demoleus</i>	Papilionidae
17.	Red Pierrot	<i>Talicauda nyseus</i>	Lycaenidae
18.	Common Grass Dart	<i>Taractrocera maevius</i>	Hesperidae
19.	Blue tiger	<i>Tirumala limniace</i>	Nymphalidae
20.	Dark blue tiger	<i>Tirumala septentrionis</i>	Nymphalidae

### Butterfly Diversity in the Yenepoya (Deemed to be University), Mangalore



### 13.3.2.3. Mammals diversity in the Yenepoya (Deemed to be University), Mangalore

Mammals, a group of vertebrate animals (class: Mammalia), characterized by the presence of mammary glands (where females produce milk for feeding/nursing their young), a neocortex (a region of brain), fur or hair and three middle ear bones. These characteristic features differentiate them from reptiles and birds. Observation on diversity of mammals in the Yenepoya (Deemed to be University), Mangalore indicated that around 20 Mammal species are commonly distributed. The commonly found mammals are Black-naped Hare, Three-striped Palm Squirrel, Common or Grey Mongoose, Indian Flying Fox, Short-nosed Fruit Bat, House Rat, Indian Mole-rat, Sheep, Buffalo etc.,

**Table 11. List of Mammals diversity in the Yenepoya (Deemed to be University), Mangalore**

S.No	Scientific Name
1.	<i>Pteropus giganteus</i>
2.	<i>Paradoxurus hermaphrodites</i>
3.	<i>Herpestes edwardsii</i>
4.	<i>Funambulus palmarum</i>
5.	<i>Hystrix indica</i>
6.	<i>Canis lupus familiaris</i>
7.	<i>Felis catus</i>

### 13.3.2.4. Amphibians diversity in the Yenepoya (Deemed to be University), Mangalore

Amphibians (class: Amphibia) are ectothermic, tetrapod vertebrates. All living amphibians represent the group Lissamphibia and they inhabit a wide variety of habitats. Most of them living within terrestrial, fossorial, arboreal or freshwater aquatic

ecosystems. Amphibians naturally start out as larvae living in water, but some species bypass this by developed behavioural adaptations. Observation made on diversity of Amphibians in the Mangalore indicated that around 2 species are Amphibians are commonly distributed.

Generally amphibians undergo metamorphosis from larva with gills to air-breathing adult with lungs. Skin of the Amphibians served as a secondary respiratory organ while very few terrestrial salamanders and frogs lack lungs and they rely entirely on their skin for respiration. With their complex reproductive needs and permeable skins, amphibians are often ecological indicators. In recent decades, there has been a drastic decline in populations of many amphibian species around the globe.

Historically, amphibians evolved in the Devonian period from sarcopterygian fish with lungs and bony-limbed fins, which were helpful them to adapt to dry land conditions. Their spread was higher and predominant during Carboniferous and Permian periods and they were later displaced by reptiles and other vertebrates. Over a period, amphibians shrank in size and their diversity decreased drastically, leaving only the modern subclass Lissamphibia. Modern amphibian orders include Anura (the frogs), Urodela (the salamanders) and Apoda (the caecilians). Number of known amphibian species is nearly 60% are frogs. Observation made in the HBVS Campus on diversity of Amphibians revealed that around 2 species of Amphibians are commonly disseminated. The commonly found amphibians are listed hereuner.

**Table 12. List of Amphibians diversity in the Yenepoya (Deemed to be University), Mangalore**

S.No	Scientific Name
1.	<i>Duttaphrynus melanostictus</i>
2.	<i>Euphlyctis cyanophlyctis</i>
3.	<i>Hoplobatrachus tigerinus</i>
4.	<i>Pseudophilautus wynaadensis</i>

### **13.3.2.5. Grasshopper diversity in the Yenepoya (Deemed to be University), Mangalore**

Grasshoppers, a group of insects belonging to the suborder Caelifera and they are probably most ancient living group of chewing herbivorous insects. They are typically ground-dwelling insects with powerful hind legs which allow them to escape from threats by leaping dynamically. As a hemimetabolous insects, they do not undergo complete cycle of metamorphosis. In other word, they hatch from an egg into a nymph or "hopper" which undergoes five moults, to become identical to that of an adult. Grasshoppers hear through the tympanal organ which can be found in the first segment



of the abdomen attached to the thorax; its sense of vision is compound eyes. Under certain environmental conditions, some grasshopper species at high population densities can change colour and behaviour besides form swarms. Grasshoppers are plant-eaters; few species at times become as a serious pest of cereals, vegetables and pasture, especially when they swarm to destroy the crops over huge contiguous areas. Surveillance audit at Yenepoya (Deemed to be University) on diversity of 60 Species of Grasshoppers demonstrated and 4 species are Amphibians are commonly distributed which includes *Eyprepocnemis alacris*, *Cyrtacanthacris tartarica*, *Crucinotacris decisa* and *Aulacobothrus luteipes*

### **13.3.2.6. Termites Diversity in the Yenepoya (Deemed to be University), Mangalore**

Termites are most successful groups of insects on earth, colonising most landmasses. Their colonies range in size from a few hundred individuals to enormous societies with several million individuals. Eusocial insects, commonly Termites, are taxonomically ranking as infraorder. Isoptera, or alternatively as epifamily Termitoidae, within the order Blattodea (along with cockroaches). Although Termites are habitually known as "white ants", they are not ants and they are not closely related with them. Earlier, Termites were classified as a separate order from cockroaches. Recent phylogenetic studies revealed that they evolved from cockroaches, as they are deeply nested within the group and the sister group found to wood eating cockroaches of the genus *Cryptocercus*. More recent estimates suggest that they have originated during the Late Jurassic period evidenced with the first fossil records in the Early Cretaceous. Termites mostly nourish on cellulose based dead plant material (wood, leaf litter), soil and animal dung. Two species of Termites (*Odontotermes anamallensis*, *Trivitermes fletcheri*), 5 species of Ants (*Solenapsi*, *Lasiusniger*, *Dorymyrmex bicolor*, *Camponotus compressus*, *Pogonomyrmex badius*) recorded during on-site Green Campus audit at Yenepoya (Deemed to be University) and they are belonging to the Genera *Odontotermes*, *Trivitermes* and *Nasutitermes*.

### **13.4. An account of more Oxygen releasing and Carbon dioxide assimilating plants in the Yenepoya (Deemed to be University)**

There are some plants which are being considered highly efficient in oxygen releasing and carbon dioxide assimilating (Carbon sinks) which in turn reflected the quality of the green campus. If more oxygen is made available in the campus naturally, the stakeholders may be free from various cardiovascular and pulmonary problems and breathing troubles. *Sansevieria zeylanica* (commonly known as snake plant or the mother-in-law's tongue plant) is unique for oxygen release during night time and it is able to purify the atmospheric air in terms of removal of toxic gases. Although options are available to enhance the level of oxygen by reducing CO<sub>2</sub> with the aid of oxygenators and air purifiers, there are certain alternatives to improve the air quality which is beneficial for both body and mind. Green campus audit at Yenepoya (Deemed to be University), Mangalore revealed that the campus is well distributed with more oxygen releasing and CO<sub>2</sub> assimilating plants such as *Money plant*, *Neem tree*, *Tamarind tree*, *arali*, and *Pongam* trees. There are 6 plant species which are able create an eco-friendly atmosphere in terms of reducing erosion, moderating the climate, improving air quality and supporting wildlife besides they are economically important and valued for different medicinal aspects.

The ornamental plants such as, Yellow Bells (*Tecoma stans*), Bright eyes (*Cathranthus roseus*) are made available. In addition, medicinal plant such as *Tinospora cordifolia*, *Oscimum sp.* are available in the campus.



**Oxygen releasing and Carbon dioxide assimilating plants in the Yenepoya (Deemed to be University), Mangalore, Karnataka**

**Table 12. List of Oxygen releasing and Carbon dioxide assimilating, Ornamental / Medicinal plants in the Yenepoya (Deemed to be University), Mangalore, Karnataka**

<b>S.No</b>	<b>Plant Name (English)</b>	<b>Scientific Name</b>	<b>Grouping / Nature</b>	<b>Characteristic Features of the plant</b>
1.	Aloe Vera	<i>Aloe barbadensis miller</i>	Dicots	O <sub>2</sub> releasing Plant
2.	Custard apple	<i>Annona squamosa</i> L.	Dicots	O <sub>2</sub> releasing Plant
3.	Neem	<i>Azadirachta indica</i>	Dicots	O <sub>2</sub> releasing Plant
4.	Bright eyes	<i>Catharanthus roseus</i>	Dicots	Medicinal plant
5.	Chinese ixora	<i>Ixora chinensis</i>	Monocots	O <sub>2</sub> releasing Plant
6.	Money Plant	<i>Epipremnum aureum</i>	Dicots	O <sub>2</sub> releasing Plant
7.	Peepal, Bot-tree	<i>Ficus religiosa</i>	Dicots	O <sub>2</sub> releasing Plant
8.	Tulsi	<i>Ocimum tenuiflorum</i>	Dicots	Medicinal Plant
9.	Sxarlet jungle flame	<i>Ixora coccinea</i>	Monocots	O <sub>2</sub> releasing Plant
10.	Indian Beech	<i>Pongamia pinnata</i> (L.) Pierre	Dicots	O <sub>2</sub> releasing Plant
11.	Almond	<i>Terminalia catappa</i>	Dicots	O <sub>2</sub> releasing Plant
12.	Noni	<i>Morinda citrifolia</i>	Dicots	Medicinal Plant

### 13.5. Lawns, Trees, Herbs, Shrubs, Climbers and Lianas in the Yenepoya (Deemed to be University)

Lawns are gazing features of unutilized land made to cover the soil with green grass for the ambience of the place to have a greenish look. Lawn provides a hollow space among the building structures. The shaded trees in between the grass lawn, pathways and garden benches are meaningful lineaments to the green campus. The advantage of lawn is that it prevents the unintended weeds growth in the unutilized landscape areas. Trees that are native to land with medicinal value, ethnicity and environmental value add an advantage to green building. Purpose of trees is to provide shade, atmospheric CO<sub>2</sub> sequestration and supply of oxygen that serves the purpose of a green campus. Herbs are small plants with medicinal values and shrubs are small plants with thick stems and can hold soil to some extent than the herbs and serve the purpose of soil erosion. Climbers can grow with the support of wall structures and the climbers can enhance the wall value with greeneries.

The Yenepoya (Deemed to be University), Mangalore has a huge number of trees, herbal plants, bushes, climbers, lianas, twiners and lawns. It is further observed that all the plants are growing profusely and showing healthier free from pests and diseases attack. The commonly available native as well as wild shrub species in the Yenepoya (Deemed to be University), Mangalore are Kakithapoo (*Bougainvillea spectabilis*), Madhanakamaboo (*Cycas revolute*), Sembaruthi (*Hibiscus rosa-sinensis*), Vetchi (*Ixora coccinea*), Malli (*Jasminum sambac*) and Arali (*Nerium odorum*).

Similar to that of shrubs, there are 3 kinds of herbs available in the Yenepoya (Deemed to be University), Mangalore. The predominant species of herbs available in the Yenepoya (Deemed to be University), Mangalore are, (Croton) *Tradescantia spathaceae* and (Bright eyes) *Vinca rosea*.

The existence of climber, creepers, twiners and lianas species available which accounted more than seven species in the Yenepoya (Deemed to be University), Mangalore is Amirtaval (*Tinospora cordifolia*), *Sarcostemma secamone* (L.), Pergularia daemia (Forssk) chiov The major grasses are *Cynodon dactylon*, (*Cyperus rotundus*) and Crowfoot grass (*Dactyloctenium aegyptium*), Weak stemmed creeper plants grow alongside the ground, depends another plant support, or climb up a wall by means of extending stems or branches. Climbers, include herbs or shrubs, whose stems are weak, which needs support to grow, where it climb up trees and walls and grow vigorously without any pest and disease attach which are observed in the Yenepoya (Deemed to be University), Mangalore.



### **13.6. Establishment of different Gardens in the Yenepoya (Deemed to be University)**

Growing many types of herbal plants having medicinal importance in the campus becomes more attractive and useful if concept gardens are maintained. Medicinal plant gardens can contain the locally available medicinal plants, RET (Rare Endangered Threatened) listed plants and those plants are most useful in terms of economic importance. The tree garden / arborea can be planted based on the zodiac signs which would attract the public and students, faculties, staff members, employees and educate them based on their uses. In the tree gardens, trees as linings all over the campus can act as oxygen corridors. Native trees along with trees like *Azadirachta*, *Pongamia* and *Ficus* species can be cultivated at the maximum as these plants are used to remove the dust particles and carbon lead from the air and purifies the air considerably. Similarly, the ornamental plants with beautiful flowers can be maintained in the frontage gardens of campus for attraction and good ambience. This will give an overall aesthetic look and also provide fresh air for healthy respiration to the stakeholders.

In Yenepoya (Deemed to be University), they are planted ornamental plants for the display of appealing characteristic features including: varying types of leaves and their texture, flowers and their fragrance, fruit, stem and bark. In some places, plants unusual features also planted to be of interest, such as the prominent thorns of cactus and snake cactus. There are 8 varieties of ornamentals plants we are maintaining

surrounding of our University campus. In front of cafeteria, University grounds and many places planted ornamentals plants. Nearly 32 plants in different places. These plants are making the University campus pleasantly and decoratively. Every year they try to plant new varieties with help of Environmental department. Once in three months the unwanted barks of the plants are cut it down, to make the beautification of their campus. No plant is cut unless it becomes dead. Not only can visitors enjoy seeing the ornamentals plants and also humming birds, butterflies shelter in that. This environment makes campus greenish and pleasant.



### 13.7. Natural Topography and Vegetation

Natural topography means the original geographical features of the campus, around 60-65% of the organization should have the natural features like rocks, water resources, slopes, landscape, pathways, etc. and the altered topography can be accounted for, it is facilitated. The vegetation in the land alone is considered as they are part of the natural topography. The vegetation in the artificially created structures are also accounted for when it is reported more than 70% of the claimed green campus audit site. Vegetation is the cultivation of a bunch of plants irrespective of the plant *taxa* for the covering of the area or ground topography. Natural topography is better appreciated with wild vegetation than the artificially created topography like pathways and parking areas. The observation at the Yenepoya (Deemed to be University), Mangalore indicated that more than 60% natural topography and vegetation have been maintained

properly. Further, there was no anthropogenic activity in some of the interior side of the campus.

### 13.8. Rainwater Harvesting System and Percolation Pond

Rainwater harvesting system is a traditional old practice not only in drought prone areas and also in areas having seasonal rainfall. The Indian traditional rainwater harvesting is being practiced in various parts of the country to improve the ground water status. Now the threatening features of the lower ground level of water has created a revamp of newly featured rainwater harvesting systems. Indian traditional rainwater harvesting systems are constructed based on three modes either direct pumped, indirect pumped or by gravity alone in the campus. In addition, lakes, bonds, water channels and any other water reservoir methods are considered as the rainwater harvesting system. The green campus should have adopted any of the above said modes of rainwater harvesting or any new methods that has the benefit of conserving the water resource as well. A small square shaped pit containing gravels and sands constructed near the building for rainwater harvesting and connected with pipes from the roof of the building to pit. During the audit, there are two well developed rain harvesting systems such as 1) square shaped pit containing gravels and sands and 2) water channels connected with a square shaped pit observed with the Yenepoya (Deemed to be University), Mangalore. Rainwater harvesting structures have been commissioned in the campus at different locations.



### 13.9. Landscape design and Soil Erosion control

Landscape management is the maintenance of land to make sure that backgrounds can fulfil the needs and objectives in an effective and sustainable manner for current and future members. It is an action that forms a perception of viable expansion, to ensure the preservation of a panorama, in order to help and harmonize alterations which are supplemented through social, monetary and environmental methods. Landscape design is an important feature for any disasters to control especially with respect to the soil erosion. In general, soil erosion occurs if the design of the land is not altered so as to prevent the slope features by strong vegetation and use of a plant buffer zone as safe for escape of nutrients or fertilizers entering the streams. When the slope features are altered, adequate vegetation can alone be enough to prevent soil erosion. The observation revealed that the Yenepoya (Deemed to be University), Mangalore has very good landscape design without disturbing the natural vegetation. Contour ploughing is being done at right angles to the slope wherever possible and ridges and furrows are properly maintained to break the flow of water down to the empty land. These activities are widely adopted to control soil erosion in the campus.

### 13.10. Operation of Water irrigation, Drip and Sprinkler Irrigation methods

Maintaining the green campus and water conservation mechanisms should be applied efficiently in the campus. Well planned water irrigation systems like sprinklers and drip should be implemented in the entire green area of the campus for an effective water management system. This can be implemented only when the plantations are well planned. The tree growing areas can be connected with drip irrigation and medicinal plants growing areas and flower gardens can be connected with sprinkler irrigation. The Yenepoya (Deemed to be University), Mangalore has taken sufficient efforts to maintain the plants greenish and frequency of watering to the plants. A register is maintained to note down the timing of watering the plants and quantity of water poured every time. Internal auditing of time of plantation, number of times the plants are watered and growth parameters of the plants in the campus is being carried out.

### 13.11. Importance of Biodiversity Conservation


The campus should be a mini biodiversity conservation area, wherein, more greenery due to native plant species, medicinal plant garden, concept gardens, flowering plants that attract bees, birds, beetles and other animals like squirrels should be monitored as ecosystems. Shade giving trees in the paths, flowering trees in the avenues and fruit trees at the back yards also would attract birds, bees, butterflies and squirrels. The Yenepoya (Deemed to be University), Mangalore is free of exotic plants that cause threat to the natural vegetation. It is like a mini bio-reserve rich in native species and endemic plants. A complete data on the soil type, water holding capacity and soil nutrition in the campus is being thoroughly studied internally or with the Government agriculture departments. It is useful for cultivation of various native and wild plant species and also helps in choosing the proper irrigation system.





### 13.12. Pedestrian Path facility at the Yenepoya (Deemed to be University)

The concept of pedestrian path is to give safe space to walk freely by the pedestrian. It is very important in the green campus in terms of freely walk pedestrians or people going on foot without any obstacles. The pedestrian path is otherwise called as zebra crossing by the combination of black and white stripes remained to characterize the zebra. This path is specially designed space to the stakeholders to walk freely without any disturbance. It is useful for



cross walk and easy to recognize to walk by means of wide black and white colour combination of lines and authorize to walk while crossing and walking on the foot. In addition, pedestrian path are created in the green campus along with road side which meant for walking only using special cement bricks and stones. The pedestrian path aims to end circulation not only cars, buses, vans, trucks and other vehicles but also giving safe space to the pedestrians, where cross and pass through blocks and also forcing vehicles to comply with it. The Yenepoya (Deemed to be University), Mangalore is having very good facility in creating pedestrian path for stakeholders.

### 13.13. Use of Biofertilizers, Organic and Green manures

Natural or eco-friendly methods should be used to grow plants vigorously in the campus which could reduce the environmental pollution. Use of biofertilizers, organic manures (cow dung, vermicompost and plant wastes and litters) and green manures to grow healthy plants in the medicinal plant garden, kitchen garden and terrace garden should be ensured to keep the campus organic. The plant waste such as fallen leaves, stems, fruits, nuts, seeds and other plant parts should be used to make green manures. A concrete or ground level green manure production unit and vermicomposting units will help to convert all the plant and animal based wastes into green/organic manures. This will be a healthy way of solid litter waste management in the campus. Minimal use of chemical fertilizers as part of integrated nutrient management system is acceptable but nil use of chemical fertilizers is highly appreciable and also helps to keep the campus more of an organic ecosystem. The soil, air, water and sunlight are the four major natural resources any campus gets. Proper use and conservation of these resources are mandatory in green campus audit sites. The available resources and their utilization should be accounted for from time to time. Management of the right way of utilization of these resources with the vision of sustainability should be carried out by framing a committee led by the Head of the Institution concerned. Biofertilizers such as Nitrogen fixing bacteria, Potassium and Phosphorus solubilizing bacteria, Potassium mobilizing fungi (VAM), farm yard manure, dried cow dung manure, vermicompost manures and biofungicides and biopesticides are extensively used in the Yenepoya (Deemed to be University) to cultivate plants. Agrochemicals, chemical fertilizers (urea, murate of potash, sulphate of potash, rock phosphate, etc.), pesticides and fungicides are not used. These practices are very well appreciated because air, water and soil pollution due to use of agrochemicals is eradicated which in turn to improve the soil health significantly.

# Vermicomposting Units and Food Waste Composting Unit found in the Yenepoya University



### Mesh composting found in the Yenepoya university



#### 13.14. Conduct of Outreach programmes for dissemination of Green Campus motto and Green pledge initiatives by Eco club, Nature club, Associations, Cells, Forums, NCC/Student Force and NSS bodies in Green Campus initiatives

Professional implementation of all the Eco plans in the campus should be done through the Eco clubs, Nature clubs, Science clubs, Youth Red cross units, Fine Arts clubs, Women cell, Associations, Forums, and NSS (National Service Scheme). All the students, members of staff and employers should be mandatory members of the club and should do tree planting and maintenance of greenery in the campus periodically. Conducting frequent seminars, conferences, workshops, awareness rallies, etc. on topics relevant to the environment is necessary to educate and create awareness among the students and staff members. In addition, student's associations, cells, clubs and forums should be the first hand receivers of all the new plans proposed by the Government such as Swachh Bharath Abhiyan and Jal Shakti Abhiyan under Clean India Mission and implement the same in the campus. The Yenepoya (Deemed to be University) has well developed NSS, Swachh Bharath Abhiyan under Clean India Mission. These bodies are actively involved in tree planting programmes and cleaning the surrounding areas of tribal, rural and urban people. The Yenepoya (Deemed to be University) is conducting a large number of activities to conserve the nature and to teach about the importance of environment to rural, tribal and urban people.



**Inauguration of International Eco club Student Chapter at the Yenepoya University by nature Science Foundation**



**Plantation of saplings by the YENVIRON CLUB Students of Yenepoya University**



**Students of Yenepoya University participated in the Cleanliness drive organized by Janashikshana Trust, Mudipu**



Awareness programmes on the green campus initiatives and dissemination of green motto and pledges are accounted in a sustainable manner. Its benefits and self-sustainability are being projected for wider centric on earth and Ecology conservation. Innovative practices that add up credentials in implementing the green campus which needs to be promoted in the awareness programme to the students and staff members including public domain. Technology driven solutions initiated by the green campus organization are periodically disseminated and documented successively for propagating the attitude of the green campus in wider masses. The Yenepoya (Deemed to be University) has taken sufficient attempts to disseminate the green campus motto and green pledge such as ‘Don’t cut trees’, ‘Don’t use plastic bags’, ‘Don’t waste waters’, ‘Plastic Free Zones’ and ‘Preserve the Natural Resources’ and etc. among the students and staff members in the campus.

**Sapling plantation on World Earth Day by the students of Yenepoya University**



### 175 Saplings plantation at Eliyarpadavu village by the Students of Yenepoya University



The Yenepoya (Deemed to be University), Mangalore is implemented the Government schemes (Swachh Bharath Abhiyan under Clean India Mission) to give pure and safe water to rural people and teach the importance of cleanliness of toilets and restrooms to people living in Mangalore city. These activities are very important in view of the instantaneous vicinity to undertake progressive programmes and conducted Participatory rural appraisal programmes. It is involving the socioeconomic position of the inhabitants, natural resources, traditional knowledge systems, cropping patterns, etc. of the rural and tribal people. The Yenepoya (Deemed to be University) is also focusing on the development of women, youth, children and dalits and to identify the extension and training needs of the target group through the Department of Women Studies and Career Guidance. It provides the vocational training to marginal farmers to overcome the problem of seasonal employment.

The Yenepoya (Deemed to be University) helps to develop social commitment and to expose the students to get sensitized to social realities and to build a link between the student community and the wider community. It enhances the social interaction, interpersonal communication skills and develop emotional maturity of students. It also helps students in total and integrated personality development. The Yenepoya (Deemed to be University) facilitates to prepare the students for future life, by developing qualities such as cooperation, team spirit, leadership, discipline and development of creative talents including to boost the self-confidence of students.

#### **13.15. Establishment of Aquarium and Aquatic plants**

Growing fishes in the small ponds will keep the environment pleasant. In the closed environment like corridors and the front offices, auditoriums and gallery classes placing the fish aquarium as well as plant aquarium will improve the scenic value of the place bringing peace to the people. The fish water waste also can be used as manure for growing potted indoor plants. Growing *Lotus*, *Lilly*, *Hydrilla* and other water plants will give a pleasant and calm environment and growing fishes like *Guppies* can keep the water clean and neat. The fountains and small ponds can be built in the frontages to give an aesthetic look and also growing water plants in these ponds will help to maintain the aesthetic sense of the environment in greenish. The Yenepoya (Deemed to be University), Mangalore has implemented to start a good aquatic site in which aquatic plants and birds will be live generously.



### 13.16. Academic credentials: Projects, Dissertations and Thesis work

Project, Dissertation and Thesis works are academic effort credentials that always fosters the innovative ideas on thinking and implementation of new innovative approaches. Applied research work of the faculties, staff and student members should be implemented within the campus owing to the credential of the research. Those works indicating the significance of empowering the green campus can be implemented or adopted in other organizations. If the innovation is capable of developing into entrepreneurship, then it is highly appreciable. The Report of projects and dissertations which are productive in methodologies should be disseminated through presentation and publication in social media, books, magazines and journals so as to spread the innovative ideas and methods to the broad public. The Yenepoya (Deemed to be University) faculty members and students were implementing the extensive project work related to nature conservation, environmental pollution, soil and water analysis

### 14. Best practices followed on Green Campus initiatives in the Organization

1. It is observed that the Yenepoya (Deemed to be University) is maintaining more than 75% of the green cover area after building construction as per the guidelines of World Green Building Council and Indian Green Building Council to provide a healthy environment and ecofriendly atmosphere to the stakeholders. It is calculated that the natural vegetation was 16339.857 m<sup>2</sup> and planted vegetation was 282986.227 m<sup>2</sup>
2. The Yenepoya (Deemed to be University), Mangalore is established in India, belonging to Karnataka which provide pure atmosphere to the stakeholders under natural environment, topology, landscape and soil erosion. The campus is

established without disturbing the natural vegetation along with the artificially created topography like pathways and parking areas.

3. In view of floral biodiversity in the Yenepoya (Deemed to be University), Mangalore, a sum 346 species belonging to 220 Genera under 180 families covering trees, herbs, shrubs, climbers, lianas, twiners and lawns and 10 species belonging to Lichens, Pteridophytes, Bryophytes and Mycoflora like Mushrooms were recorded. It is observed that all the plants are growing profusely and showing healthier free from pests and diseases.
4. In view of faunal biodiversity in the Yenepoya (Deemed to be University), Mangalore, a total of 07 living Mammals representing 10 Genera under 6 families, visiting Mammal species (9) belonging to three Genera under 6 families, 64 species of birds, 6 species of Grasshopper, 2 species of Termites, 2 Species of Red ants, 4 species of Amphibians, 3 species of Reptiles, 22 species of Butterflies and 3 species Mosquitos were recorded and documented.
5. The Yenepoya (Deemed to be University) has established rainwater harvesting models, percolation pond to recharge the borewells by collecting rainwaters from the building roofs, open areas and playgrounds including unexplored areas which are channelized to flow of rainwaters to increase the ground water level.
6. The campus has a maximum number of more oxygen releasing and carbon dioxide assimilating plants such as Neem trees and *Pongia* trees including some of the shrub and herbal plants.
7. Percolation ponds have been established to capture the excess run off water through roads and other paved areas during heavy rainfall, after studying the contour of the terrain and the natural drains. There is recharge pit created to collect rainwater.
8. Pedestrian path found everywhere is one of the Best Practices
9. Vermicompost production have increased substantially using tree leaf litter, kitchen wastes and biodegradable waste materials available in the campus. The vermicompost manure have used for plant cultivation and the excess amount of vermicompost may be sold in the local market as consultation work.
10. A complete data on the soil parameters such as pH, electrical conductivity (EC), water holding capacity (WHC), total organic carbon, available nitrogen, exchangeable potassium, available phosphorus in the campus have studied which is useful for the cultivation of various native and wild type plant species.
11. Eco club student chapters, forums, cells, etc. established among the students from which a large number of programmes on nature conservation and environmental protection have conducted to rural, tribal and urban people.



## 15. Recommendations for Greening

- The name board kept in each plant species in which the common name along with binomial name mentioned is one of the Best practices. The year of planting and economic importance with medicinal values if any may be mentioned in some plants so that the oldest as well as useful herbal plants may be identified in the campus.
- Honey Bee hives may be kept in the campus which is free from student's mobilization. Honeybees are natural pollinators help to increase the yield potential of plants (flowers, fruits and vegetables) upto 33%.
- Automatic water irrigation systems like drip and sprinkler irrigation methods adopted may be extended in the entire green area of the campus which in turn are useful to reduce the operation costs under energy conservation policy.
- Yenepoya (Deemed to be University) Management has to take smart initiatives towards creating a Green Campus in the areas of green computing and waste management.

## 16. Conclusion

After the establishment of Yenepoya (Deemed to be University), Mangalore, Karnataka, it has made significant progressive contributions with respect to teaching learning, research and consultancy, innovation and transfer of technology, community service and value education, *in toto*. The campus is a well-established Deemed University in Mangalore, which imparts quality education to rural, tribal and urban people across the Nation. This Organization is excellent in terms of academic activities and providing an eco-friendly atmosphere to the stakeholders. The Organization has taken enormous efforts to maintain green campus to the students, research scholars, staff members and parents in a sustainable manner which reflects the importance of the environment and stakeholders. It is conducting a large number of activities for the benefit of rural and tribal community people without disturbing the natural environment, topology, landscape management. The Campus is maintaining more than 65% of the green cover area after building construction along with 16339.85 m<sup>2</sup> of natural vegetation and & 282986.227 m<sup>2</sup> planted vegetation.

The natural topography and very good landscape design without disturbing the natural vegetation are being maintained by the Yenepoya (Deemed to be University). A maximum number of more oxygen releasing and carbon dioxide assimilating plants are being maintained to provide pure atmosphere to the stakeholders. The installation of a rainwater harvesting system, percolation ponds and drip irrigation system to conserve rainwater and ground water are noteworthy in the campus. The Organization has created medicinal, herbal and ornamental gardens at small scale level for establishing a massive reforestation / afforestation planting programme in which a large number of trees and shrubs species were planted together for providing an eco-friendly atmosphere to the stakeholders in a sustainable manner.

## 17. Acknowledgement

Nature Science Foundation, Coimbatore, Tamil Nadu, India is grateful to the Registrar, Chancellor, Vice Chancellor and IQAC coordinator of the Yenepoya

(Deemed to be University), Mangalore, Karnataka, for providing necessary facilities and co-operation extends during the Green Campus Audit. This helped us in making the audit a magnificent success. Further, we hope Concept of establishing and maintenance of Green Campus proposed by the Yenepoya (Deemed to be University) Management will create Clean and Green Environment and this will be taken care of by up coming generation and propagate further.

## Annexure - I

### Methodology for Flora and Fauna Identification

#### I. Identification of Flowering Plant Species

Various vascular plant species were identified based on the following identification key by adopting the polyphasic taxonomic approach

#### Key to Plant Families Identification

- |  |                 |
|--|-----------------|
| 1a. Seeds enclosed in fruit wall, Perianth Present.....          | 2               |
| b. Seeds not enclosed in fruit wall, perianth absent.....        | Gymnosperm      |
| 2a. Leaves usually net veined seeds-2.....                       | 3               |
| b. Leaves parallel veined, seeds-1.....                          | 66              |
| 3a. Petals free.....   | 4               |
| b. petals connate.....   | 41              |
| 4a. Corolla and calyx present.....                               | 5               |
| b. Corolla and calyx absent.....                                 | 24              |
| 5a. calyx of united sepals; ovary inferior.....                  | 31              |
| b. Calyx of distict or unit sepals; ovary syncarpous.....        | 6               |
| 6a. Sepals imbricate in bud.....                                 | 7               |
| b. Sepals valvate in bud.....                                    | 24              |
| 7a. Sepals more or less united at the base.....                  | 19              |
| b. Sepals free.....  | 8               |
| 8a. Stamens more than 12.....                                    | 9               |
| b. Stamens 10 or fewer.....                                      | 13              |
| 9a. Sepals 2-3.....  | 11              |
| b. Sepals 4 or more.....   | 10              |
| 10a. Stamens inserted on the disck.....                          | Cleomaceae      |
| b. Stamens inserted of the gynophore.....                        | Capparaceae     |
| 11a. Trees, Petals more or like the sepals; carpels free.....    | Mangnoliaceae   |
| b. Herbs, petals coloured unlike the sepals; carpels united..... | 12              |
| 12a. Plants with yellow sap, Flowers pedicelled.....             | Papaveraceae    |
| B. Plants with watery sap, Flowers sessile.....                  | Portulacaceae   |
| 13a. Flowers unisexual, gynoecium apocarpus.....                 | Menispermaceae  |
| b. Flowers bisexual, gynoecium Syncarpous.....                   | 14              |
| 14a. Petals 4, Stamens 6.....                                    | Brassicaceae    |
| b. Petals 5, Stamens $\infty$ .....                              | 15              |
| 15a. Ovary 1, loculated.....                                     | 16              |
| b. Ovary 2-more loculated.....                                   | 17              |
| 16a. Flowers actinomorphic, placentas free- central.....         | Caryophyllaceae |

- b. Flowers zygomorphic, placentas parietal .....Viloiaceae
- 17a. Filaments of anthers more or less united .....Polygalaceae
  - b. Filaments of anthers more or less united .....18
- 18a. Leaves stipulate; stamens 5 or 10 .....19
  - b. Leaves exstipulate; stamens usually 8 .....Sapindaceae
- 19a. Style 5; stamen 5 ..... Oxalidaceae
  - b. Style many; stamens 10 ..... Zygophyllaceae
- 20a. Leaves pellucid-gland dotted ..... Rutaceae
  - b. Leaves not gland dotted .....21
- 21a. Placentas parietal; Fruit elongated .....Moringaceae
  - b. Placentas axile; Fruits not elongated .....22
- 22a. Ovules and seeds pendulous; sometimes horizontal.....Meliaceae
  - b. Ovules and seeds erect or ascending .....23
- 23a. Stamens alternate with the petals..... Anacardiaceae
  - b. Stamens opposite the petals .....Vitaceae
- 24a. Leaves simple; Flowers 3-merous.....Annonaceae
  - b. Leaves compound; Flowers 4-6 merous ..... 25
- 25a. Filaments of anther united into a columnar toothed cup.....26
  - b. Filaments of anther free; rarely connate at the base in ring .....28
- 26a. Stamens 15; anther united .....Stericuliaceae
  - b. Stamens 2; anther free.....27
- 27a. Anther unilocular; pollen muricate .....Malvaceae
  - b. Anther bilocular; pollen smooth .....Bombacaceae
- 28a. Stamens 4-5; usually embraced and adnate to the base of the petal.....29
  - b. Stamen many; atleast twice as many as and free from the petals .....30
- 29a. Shrub .....Lythraceae
  - b. Straggler .....Rhamnaceae
- 30a. Anther dehisce by slits; fruits capsule .....Tiliaceae
  - b. Anther dehisce by spores; fruits drupe .....Elaeocarpaceae
- 31a. Ovary syncarpous; placentas 3-5, parietal.....32
  - b. Ovary 1 or more free, placentas basal.....33
- 32a. Climbing herbs tendril.....Passifloraceae
  - b. Erect shrubs or trees with tendril.....Turneraceae
- 33a. Ovules arising from the inner angles or from base of the carpels or loculi.....34
  - b. Ovules pendulous from the apex of the carpels or locules.....Combretaceae
- 34a. Carpels solitary; fruits legume.....35
  - b. Carpels more than 1; fruits otherwise.....37
- 35a. Flowers zygomorphic; petals imbricate.....36
  - b. Flowers actinomorphic; petals valvate.....Mimosaceae
- 36a. Upper petals outermost stamens monodelphous or diadelphous.....Fabaceae
  - b. Upper petals innermost stamens always free .....Caesalpinaceae
- 37a. Flowers unisexual.....Cucurbitaceae
  - b. Flowers bisexual.....38
- 38a. Ovary 1-celled.....Cactaceae
  - b. Ovary more than 1 celled.....39
- 39a. Carpels free if ultimately united the styles distinct.....40
  - b. Carpels and styles united throughout.....Myrtaceae

40a. Flowers in dichasial – polychasial cyme.....	Molluginaceae
b. Flowers in clustered, cymes or solitary.....	Aizoaceae
41a. Ovary inferior, stamens as many as the corolla lobes.....	42
b. Ovary superior, stamens numerous.....	43
42a. Anther free; ovary 2-loculed; stipulate.....	Rubiaceae
b. Anther syngenesious; ovary 1-loculed, exstipulate.....	Asteraceae
43a. Ovary 1-loculed; placentation free central.....	Plumbaginaceae
b. Ovary 2-many loculed; placentation axile or parietal.....	44
44a. Ovary 3 or more carpelled.....	Sapotaceae
b. Ovary 2-carpelled.....	45
45a. Corolla actinomorphic.....	46
b. Corolla zygomorphic.....	50
46a. Plants leafless; parasitic.....	Cuscutaceae
b. Plants leafy ; not parasitic .....	47
47a. Leaves opposite; stamens 2.....	--48
b. Leaves alternate; stamens 4 or more .....	49
48a. Leaves not scabrid, corolla tube white: fruits berry .....	Oleaceae
b. Leaves scabrid; corolla tube orange; fruits capsules .....	Nyctanthaceae
49.a. Anther inseperatable; corona present .....	Asclepidiaceae
b. Anther seperatable; corona absent .....	Apocyanaceae
50a. Corolla lobes imbricate ;fruit drupe .....	Boraginaceae
b. Corolla lobes plicate; fruit capsule .....	Convolvulaceae
51.a Ovary cells many ovulated .....	Solanaceae
b. Ovary cells 1-4 ovuled.....	52
52.a Carpels 2 or more ovulated ; fruits dehiscent .....	53
b. Carpels 1 –ovulated ; fruits indehiscent .....	57
53.a Fruits dehiscent; seeds supported on reticulae.....	Acanthaceae
b. Fruits indehiscent; seeds not supported on reticulae.....	54
54.a. Leaves compound; fruits elongated; seeds winged .....	Bignoniaceae
b. Leaves simple;fruits not elongated, seeds not winged.....	55
55.a. Ovules many on swollen placentas; seeds albuminous.....	Scropulariaceae
b. Ovules 2 lobed placenta ; seeds not albuminous.....	56
56.a Flowers solitary; axile placentation .....	Pedaliaceae
b. Flowers raceme; axile placentation.....	Marytiniaceae
57.a Ovary entire, style terminal .....	Verbinaceae
b. Ovary 4 –lobed, style gynobasic.....	Lamiaceae
58.a Flower bisexual .....	59
b. Flower unisexual .....	62
59.a. Ovary inferior .....	60
b. Ovary superior .....	61
60.a Ovary 4-6 loculated; ovules many .....	Aristolochiaceae
b. Ovary 1-loculated; ovules 1-4 .....	Santalaceae
61.a Perianth not tubular .....	Amarathaceae
b. Perianth trubular .....	Nyctaginaceae
62a. Leafless trees; brachlets ribbed and joined at the nodes.....	Casuarinaceae
b. Leaves well developed ; brachlets not ribbed and not joined at the nodes.....	63
63 a. Ovary 1- loculed; ovules 1-2 in each loule.....	64

- b. Ovary 2 or more loculed; ovules 1 or 2 in each locule.....65
- 64a. Leaves glandular.....Euphorbiaceae
  - b. Leaves eglandular.....Urticaceae
- 65a. Filaments inflexed in bud with reversed anther.....Moraceae
  - b. Filaments not inflexed in bud, not with reversed anther.....Ulmaceae
- 66a. Terrestrial or epiphytic.....67
  - b. Aquatic, marsh or riparian.....Cyperaceae
- 67a. Arbrorescent woody; leaf blade many nerved articulate with sheath...Bambusaceae
  - b. Herbs with herbaceous culms; leaf blade sessile not articulate with sheath.....68
- 68a. Perianth 0 or reduced to scale.....Araceae
  - b. Perianth present.....69
- 70a. Plant armed.....71
  - b. Plant unarmed.....72
- 71a. Plants Xerophytic; leaves fibrous.....Agavaceae
  - b. Plants not xerophytic; leaves nor fibrous.....Lilliaceae
- 72 a. Perianth segments connate.....Amaryllidaceae
  - b. Perianth segments free.....73
- 73a. Outer perianth calycine; inner coroline.....Commelinaceae
  - b. Outer and inner perianth.....74

## II. Identification of Non-Flowering Plant Species

Lichen samples were identified based morphological, biochemical and anatomical features and representative samples were compared with the voucher specimens at the Lichen Herbarium Centre of National Botanical Research Institute (NBRI), Lucknow, Uttar Pradesh, India.

### Key to identify the Lichen Genera

#### Key to Genera

- 1 a. Photobiont cyanobacteri urn .....*Leptogium cyanascens*.
- 1 b. Photobiont green alga .....2
- 2. Thallus leprose, crustose.....Group I
- 3. Thallus foliose.....Group II
- 4. Thallus fruticose.....Group III

#### Group I

- 1 a. Thallus leprose,.....*Chrysothrix chlorina*
- 1 b. Thallus crustose.....*Graphis* sp

#### Group II

- 1 a. Lower side of thallus pseudocyphellae, photobiont Nostoc .....*Pseudocyphellaria*
- 1 b. Thallus lacking pseudocyphellae .....2
- 2 a. Upper cortex thick walled longitudinally oriented, conglutinate hyphae.....3
- 2 b. Upper cortex otheriwse.....4
- 3 a. Thallus lower side canaliculated zeorin, norstictic and salazinic acids, and unknown pigments and triterpenoids present.....*Heterodermia leucomelos*
- 3 b. Thallus lower side no canaliculated only in medulla.....*Heterodermia diademata*
- 4 a. Cilia bulbate at the base, thallus grey to grey brown .....*Bulbothrix*

4 b. Cilia present or absent, not bulbate.....	5
5 a. Rhizines dichotomously branched present throughout the margins....	<i>Hypotrachyna</i>
5 b. Rhizines restricted to center of lower surface, margin bare, smooth shining.....	6
6 a. Lobes narrow, long, dichotomously branched, canaliculate.....	<i>Everniastrum</i>
6 b. Lobes otherwise.....	7
7 a. Lobe margins ciliate.....	8
7 b. Lobe margins eciliate.....	9
8 a. Salazinic acid present K <sup>+</sup> Red cortex.....	10
8 b. Salazinic acid absent .....	11
9 a. Thallus with isidia.....	<i>Parmotrema tinctorum</i>
9b Thallus with soredia.....	12
10 a. thallus emaculate.....	<i>P.stuppeum</i>
10 b. thallus maculate.....	<i>P.reticulatum</i>
11 a. Protolichesternic acid in medulla .....	<i>P.grayanam</i>
11 b. Alecoronic acid in medulla.....	<i>P. nilgherrense</i>
12 a. Thallus large lobed, loosely attached, mainly corticolous .....	<i>P. austrosinense</i>
12 b. Thallus smaller, closely to strongly attached, saxicolous.....	<i>P.defectum</i>

### Group III

1 a. Squamules in thallus.....	<i>Cladonia</i> sp
1 b. Squamules absent in thallus .....	2
2 a. Thallus flat, strap shaped or palmately lobed.....	<i>Ramalina</i>
2 b. Thallus round to angular in section .....	3
3 a. Thallus bright yellow to orange, K <sup>+</sup> purple... ..	<i>Teloschistes</i>
3 b. Thallus greenish grey or yellowish grey pendent or erect.....	4
4 a. Medulla K <sup>+</sup> red Stictic acid present .....	<i>Usnea stigmatoides</i>
4 b. Medulla K <sup>-</sup> norstictic psoromic acid present.....	<i>Usnea dasaea</i>

### III. Identificayion of Algae Genera

Algae identification key consists of couplets of characteristics using algal description of the specimen based on morphological characterization from 58 Genera to species level identification as per the comprehensive key.

#### Key to identify the Algae species

1A. Plant pigments contained in chromatophores or chloroplasts -----	10
1B. Plant pigments not contained, but diffused through protoplast -----	2
2A. Plants filamentous; cells arranged in trichomes -----	4
2B. Plants colonial, not filamentous -----	3
3A. Cells in regular rows, in multiples of four; -----	<i>Agmenellum</i>
3B. Cells somewhat evenly arranged toward periphery of spherical colony; barely visible gelatinous strands radiate from center of colony to cells ----	<i>Gomphosphaeria</i>
3C. Colony asymmetrical; cells very dense and unevenly distributed -----	<i>Anacystis</i>
4A. Filaments straight or slightly flexed -----	6
4B. Filaments curved, twisted, or spiralled -----	5
5A. Heterocysts and akinetes present -----	<i>Anabaena</i>
5B. Heterocysts absent -----	<i>Raphidiopsis</i>
6A. Heterocysts present -----	9

6B. Heterocysts absent -----	7
7A. Filaments without a sheath; cells discoid -----	<i>Oscillatoria</i>
7B. Filaments with distinct sheath -----	8
8A. Trichomes tangled; sheaths confluent -----	<i>Phormidiwn</i>
8B. Trichomes separate; sheaths not confluent -----	<i>Lyngbya</i>
9A. Heterocysts terminal -----	<i>Cylindrospermum</i>
9B. Heterocysts intercalary -----	<i>Ahphanizomenon</i>
10A. Cell walls without punctae or striae -----	31
10B. Cell walls rigid, ornamented with punctae or striae -----	11
11A. Frustules adiametric, two or more times longer than wide, elongate -----	15
11B. Frustules isodiametric, generally shorter in length than in diameter, round or elliptical or ovoid or nearly so -----	12
12A. Frustules elliptical or ovoid or nearly so -----	14
12B. Frustules discoid or nearly so -----	13
13A. Valves radially punctate -----	<i>Stephanodiscus</i>
13B. Valves with two concentric regions, the inner being smooth -----	<i>Cydotella</i>
14A. Frustules with marginal keel containing a raphe -----	<i>Surirella</i>
14B. Frustules with a pseudoraphe or with a raphe not in a marginal keel ---	<i>Cocconeis</i>
15A. Frustules cylindrical arranged end to end into filament -----	<i>Melosira</i>
15B. Frustules not arranged into filaments -----	16
16A. Frustules with a raphe in at least one valve -----	21
16B. Frustules without a raphe in either valve, pseudoraphe evident -----	17
17A. Frustules united in zigzag chains -----	<i>Tabellaria</i>
17B. Frustules not in zigzag chains -----	<i>Pseudoraphe</i>
18A. Frustules united laterally -----	<i>Fragilaria</i>
18B. Frustules not united laterally -----	19
19A. Frustules united apically forming spokelike colony -----	<i>Asterionella</i>
19B. Frustules not forming spokelike colony -----	20
20A. Frustules needle shaped without costae -----	<i>Synedra</i>
20B. Frustules with prominent costae -----	<i>Diatom</i>
21A. Frustules sigmoid or "S" shaped -----	<i>Gyrosigma</i>
21B. Frustules not sigmoid -----	22
22A. Frustules longitudinally symmetrical, other than lunate in valve view -----	25
22B. Frustules with raphe in both valves, longitudinally asymmetrical, lunate -----	23
23A. Valves with transverse costae -----	<i>Epithemia</i>
23B. Valves without transverse costae -----	24
24A. Raphe a smooth curve with well defined central and polar nodules ----	<i>Cymbella</i>
24B. Raphe not a smooth curve, gibbose with marginal central nodule -----	<i>Amphora</i>
25A. Frustules with raphe in both valves -----	27
25B. Frustules with pseudoraphe in one valve and raphe in other valve -----	26
26A. Frustules wedge-shaped in girdle view and cuneate in valve -----	<i>Rhoicosphenia</i>
26B. Frustules shaped otherwise -----	<i>Achnanthes</i>
27A. Raphe extended length of valve; polar nodules; central nodules lacking -	<i>Eunotia</i>
27B. Raphe restricted to polar regions -----	28
28A. Raphe located in a canal -----	<i>Nitzschia</i>
28B. Raphe not located in a canal -----	29
29A. Frustules with symmetrical valves -----	30

29B. Frustules with valves symmetrical but asymmetrical -----	<i>Gomphonema</i>
30A. Valves with transverse costae -----	<i>Pinnularia</i>
30B. Valves with transverse punctae -----	<i>Navicula</i>
31A. Cells solitary -----	45
31B. Cells colonial or grouped -----	32
32A. Cells enclosed in conical to cylindrical lorica; joined lorica have treelike appearance -----	<i>Dinobryon</i>
32B. Cells and lorica without treelike appearance -----	33
33A. Colony discoid, one cell in thickness; cells in concentric rings -----	<i>Pediastrum</i>
33B. Colony not discoid -----	34
34A. Colonies spherical or globose -----	40
34B. Colonies not spherical -----	35
35A. Colony with elongate cells radiating from common center -----	<i>Actinastrum</i>
35B. Colony with cells not radiating from common center -----	36
36A. Colony with four to eight cells positioned in linear series -----	<i>Scenedesmus</i>
36B. Colony with cells not in linear series -----	37
37A. Colony with arcuate to lunate cells with apices acutely-----	<i>Selenastrum</i>
37B. Colony with spherical to broadly ellipsoidal cells -----	38
38A. Cells without spines or setae -----	<i>Crucigenia</i>
38B. Cells with spines or setae -----	39
39A. Cells quadrate, closely apposed; free face of each cell with spines ----	<i>Tetrastrum</i>
39B. Cells quadrate and united; free face cell with long delicate setae ---	<i>Micractinium</i>
40A. Colony with biflagellated cells -----	<i>Pandorina</i>
40B. Colony with nonflagellated cells -----	41
41A. Cells lunate to sickle shaped -----	<i>Kirchneriella</i>
41B. Cells spherical or nearly so -----	42
42A. Cells borne terminally on dichotomously branched threads -----	<i>Dictyosphaerium</i>
42B. Cells not on dichotomously branched threads -----	43
43A. Colony a hollow sphere -----	<i>Coelastrum</i>
43B. Colony not a hollow sphere -----	44
44A. Colony surrounded by gelatinized and expanded parent cell wall -----	<i>Oocystis</i>
44B. Colony with cells equidistant and toward periphery -----	<i>Sphaerocystis</i>
45A. Cells with median constriction dividing cell into two distinct halves -	<i>Cosmarium</i>
45B. Cells without pronounced median constriction -----	46
46A. Cells nonflagellated -----	53
46B. Cells flagellated -----	47
47A. Cell walls without polygonal plates -----	49
47B. Cell walls with polygonal plates -----	48
48A. Cells walls of thick plates with distinct sutures -----	<i>Peridinium</i>
48B. Cells walls with faintly distinct plates and sutures -----	<i>Glenodinium</i>
49A. Cells uniflagellate -----	52
49B. Cells biflagellate -----	50
50A. Cells with two flagella of equal length -----	<i>Chlamydomonas</i>
50B. Cells with two flagella of unequal length -----	51
51A. Cells with single chromatophore -----	<i>Chroomonas</i>
51B. Cells with 2 large chromatophores -----	<i>Cryptomonas</i>
52A. Cells surrounded by distinct lorica -----	<i>Trachelomonas</i>



52B. Cells without lorica; fusiform to acicular shaped; posterior end -----	<i>Euglena</i>
53A. Cells acicular to fusiform with ends tapering into long spines -----	<i>Schroederia</i>
53B. Cells without ends tapering into long spines -----	54
54A. Cells without setae -----	56
54B. Cells with setae -----	55
55A Cells with subpolar or both subpolar and equatorial long setae -----	<i>Chodatella</i>
55B Cells with multiple peripheral long delicate setae -----	<i>Golenkinia</i>
56A Cells long, slender, and tapered at both ends -----	<i>Ankistrodesmus</i>
56B Cells flattened or isodiametric, triangular, quadrangular -----	<i>Tetraedron</i>

#### IV. Identification of Major Groups of Mushrooms

Mushrooms are belonging to fungal kingdom which are edible and non-edible in nature. They represented in various colours starting from white, black, brown, red and pale yellow rot fungi. They are identified based on the following characterization key

##### Key to identify the Mushrooms species

1. Mushroom growing on other mushrooms or the decayed remains -----	<i>Mycotrophs</i>
2. Growing shelflike on wood (or, if not, then gills <i>concentric</i> rather than radial); mushroom <i>very</i> tough and leathery, corky, or woody (try tearing it in half); gills tough and hard, sometimes maze-like; cap frequently (but not always) with concentric zones of colour -----	<i>Polypores</i>
3. Gills running down the stem, not platelike and thus not easily separable from the cap and stem (try removing an entire "gill" with your fingers or a sharp object); mushroom usually <i>not</i> growing on wood -----	<i>Chanterelles and Trumpets</i>
4. Gills not as above; mushroom growing on wood or elsewhere ----	<i>Gilled Mushrooms</i>
5. Stem absent--or, if present, lateral, Flesh in stem tough-----	<i>Polypores</i>
6. Raphe a smooth curve with well defined central and polar nodules -----	<i>Cymbella</i>
7. Raphe not a smooth curve, gibbose with marginal central nodule -----	<i>Amphora</i>
8. Frustules with raphe in both valves -----	27
9. Frustules with pseudoraphe in one valve and raphe in other valve -----	26
10. Colony with cells not radiating from common center -----	36
11. Colony with four to eight cells positioned in linear series -----	<i>Scenedesmus</i>
12. Colony with cells not in linear series -----	37
13. Colony with arcuate to lunate cells with apices acutely-----	<i>Selenastrum</i>
14. Cells acicular to fusiform with ends tapering into long spines -----	<i>Schroederia</i>
15. Cells without ends tapering into long spines -----	54
16. Cells without setae -----	56
17. Cells with setae -----	55
18 Cells with subpolar or both subpolar and equatorial long setae -----	<i>Chodatella</i>
19. Raphe extended length of valve; polar nodules; central nodules lacking ----	<i>Eunotia</i>
20. Raphe restricted to polar regions -----	28
21. Raphe located in a canal -----	<i>Nitzschia</i>
22. Filaments with distinct sheath -----	8
23. Trichomes tangled; sheaths confluent -----	<i>Phormidiwn</i>
24. Trichomes separate; sheaths not confluent -----	<i>Lyngbya</i>
25. Heterocysts terminal -----	<i>Cylindrospermum</i>
26. Heterocysts intercalary -----	<i>Aphanizomenon</i>

27. Cell walls without punctae or striae -----31
28. Cell walls rigid, ornamented with punctae or striae ----- 11
29. Frustules adiametric, two or more times longer than wide, elongate -----15
30. Frustules isodiametric, generally shorter than round or elliptical or ovoid ----- 12
31. Frustules elliptical or ovoid or nearly so -----14
32. Frustules discoid or nearly so -----13
33. Valves radially punctate -----*Stephanodiscus*
34. Valves with two concentric regions, the inner being smooth -----*Cydotella*
35. Frustules with marginal keel containing a raphe -----*Surirella*
36. Frustules with a pseudoraphe or with a raphe not in a marginal keel -----*Cocconeis*
37. Cap round in outline; pore surface not running down the stem, or only slightly running down the stem; spore print not white -----*Boletes*
38. Mushroom with spines or "teeth"--either on the underside of a cap, or hanging from a branched structure, or clumped in an indistinct mass -----*Toothed Mushrooms*
39. Mushroom covered in some part with a foul-smelling slime; arising from a soft underground "egg"; variously shaped (like a club or stick, like crab claws, like a lantern, like a Wiffle ball, etc.); frequently found in woods----- *Stinkhorns*
40. Mushroom more or less shaped like a ball, or like a ball raised up on a stem, or like a ball set on a starfish----- *Puffballs*
41. Cap shape convex to centrally depressed or vase-shaped; undersurface, smooth, wrinkled, or gill-like; fruiting embedded -----*Chanterelles*
42. Cap shape oval, pointed, lobed, saddle-shaped, irregular, or thimble-like (never vase-shaped or convex); undersurface absent, or hard to see or define; many (but definitely not all) species fruiting----- *Trumpets*
43. Stem completely hollow, or hollow with cottony fibers inside; cap with pits and ridges, or longitudinally wrinkled, or fairly smooth (never lobed or convoluted); without reddish or reddish brown shades; found in spring----- *Morels & Verpas*
44. Found in summer and fall (or spring in warm coastal areas); cap lobed, saddle-shaped, or irregular and whitish, greyish, brownish, or black; stem surface ribbed or "pocketed" in some species -----*Saddles*
45. Found in summer and fall (or spring in warm coastal areas); cap lobed, saddle-shaped, or irregular and whitish, greyish, brownish, or black -----*Oddballs & Mis*

## 19. References

- Adeniji, A.A. 2018. *Audit and Assurance Services. Lagos: Value Analyst Concept of Green Audit*. New Age International, New Delhi, India.
- Aparajita, G. 1995. Environmental Audits- a Mean to Going Green. *Development Alternatives* **5** (4): 7-9.
- APHA, 2017. *Standard methods for the estimation of water and wastewater*. Vol. II, 15<sup>th</sup> edn, Washington, US.
- Arora, D.P. 2017. Environmental Audit–need of the hour. *International Journal of Advanced Research in Engineering & Management* **3** (4): 25-31.
- Aruninta, A., Kurazumi, Y., Fukagawa, K. and Ishii, J. 2017. The integration of human thermal comfort in an outdoor campus landscape in a tropical climate. *International Journal of GEOMATE* **14** (44): 26-32.

- Awasthi, D.D. 2007. *A Compendium of the macrolichens from India, Nepal and Sri Lank*. Bishen Singh Mahendra Pal Sin, Dehradun, Uttar Pradesh, India, 278p.
- Beebee, T.J.C. and Griffiths, R.A. 2000. *Amphibians and Reptiles. A Natural History of the British Herpetofauna*. The New Naturalist Library, London, UK.
- Brindusa M. Sluser, Caliman, F.A., Betianu, C. and Gavrilescu, M. 2007. Methods and procedures for environmental risk assessment. *Environmental Engineering and Management Journal* **6** (6): 573-592.
- Carbon footprint calculation. [www.carbonfootprint.com](http://www.carbonfootprint.com).
- Chandrabose, M. and Nair, N.C. 1988. *Flora of Coimbatore*, Bishen Singh and Mahendra Pal Singh, Dehra Dun, India.
- Choy, Er.A. and Karudan, R. 2016. Promoting campus sustainability: A conceptual framework for the assessment of campus sustainability. *Journal of Social Sciences and Humanities* **11** (2): 112-118.
- Culberson, C.F. and Kristinsson, H.D. 1970. A standardized method for the identification of lichen products. *Journal of Chromatography A*. **46**: 85-93.
- Fachrudin, H.T., Fachrudin, K.A. and Utami, W. 2019. Education activities to realize green campus. *Asian Social Science* **15** (8): 18-27.
- Ferenc, M., Sedlacek, O., Fuchs, R., Dinetti, M., Fraissinet, M. and D. Storch 2014. Are cities different?. Patterns of species richness and beta diversity of urban bird communities and regional species assemblages in Europe. *Global Ecology and Biogeography* **23**: 479-489.
- Freidenfelds, D., Kalnins, S.N. and Gusca, J. 2018. What does environmentally sustainable higher education institution mean?. *Energy Procedia* **147**: 42-47.
- Gamble, J.S. and Fischer, C..E.C 1972. *The Flora of the Presidency of Madras*. Vols. 1 - 3. Rep. Ed. 1957. Adlard and Sons Ltd., London, UK.
- Gowri, S. and Harikrishnan, V. 2014. Green computing: Analyzing power consumption using local cooling. *International Journal of Engineering Trends and Technology* **15** (3): 105-107.
- Goyal, E. and Gupta, M. 2014. Moving toward socially and environmentally responsible management education-Case study of Mumbai. *Journal Applied Environmental Education & Communication* **13**: 146-161.
- Henry, A.N., Chitra, V. and Balakrishnan, N.P. 1989. *Flora of Karnataka*. Vol. 3. Botanical Survey of India, Coimbatore, Tamil Nadu, India.
- Jayson, E.A. and D.N. Mathew, 2000. Diversity and species-abundance distribution of birds in the tropical forests of Silent Valley, Karnataka. *Journal of the Bombay Natural History Society* **97** (3): 390–399.
- Lauder, A., Sari, R.F., Suwartha, N. and Tjahjono, G. 2015. Critical review of a global campus sustainability ranking: Green Metric. *Journal of Cleaner Production* **108**: 852–863.
- Leal Filho, W., Muthu, N., Edwin, G. and Sima, M. 2015. *Implementing campus greening initiatives: approaches, methods and perspectives*. Springer, London, UK.
- León-Fernández, Y. and Domínguez-Vilches, E. 2015. Environmental management and sustainability in higher education: The case of Spanish Universities. *International Journal of Sustainability in Higher Education* **16**: 440-455.
- Marrone, P., Orsini, F., Asdrubali, F. and Guattari, C. 2018. Environmental performance of universities: Proposal for implementing campus urban

- morphology as an evaluation parameter in Green Metric. *Sustainable Cities and Society* **42**: 226-239.
- Matthew, K.M. 1983. The flora of Tamilnadu Carnatic. The Repinat Herbarium, Tiruchirapalli, Karnataka, India.
- Nair, N.C. and Henry, A.N. 1983. Flora of Karnataka, India. Ser. 1: Analysis. Vol. 1. Botanical Survey of India, Coimbatore, Tamil Nadu, India.
- NCP, 2016. *National Environmental Policy-2006*, Government of India, Ministry of Environment and Forest, New Delhi.
- Nunes, B.T., Pollard, S.J.T., Burgess, B.J., Ellis, G., de los Rios, I.C. and Charnley, F. 2018. University contributions to the circular economy: Professing the hidden curriculum: Professing the hidden curriculum. *Sustainability* **10** (8): 112-119.
- Orange, A., James, P.W. and White, F.J. 2001. Microchemical methods for the identification of lichens. British Lichen Society, London, UK, 375p.
- Ounsaneha, W., Chotklang, N., Laosee, O. and Rattanapan, C. 2017. Predictors of behavior intention to develop a green university: A case of an undergraduate university in Thailand. *International Journal of GEOMATE*. **15** (49): 162-216.
- Pradip, J.S. and Patil, P.D. 2014. Green Audit - A tool for attaining sustainable development and achieving competitive advantage. *IBMRD's Journal of Management & Research*, **3** (1): 85-93.
- Report of Green Audit, 2018. *Report of Green Audit Nitte Meenakshi Institute of Technology, Chennai, Karnataka, India*. [https://www.google.com /search?q=Green+Audit+ Report+Nitte+Meenakshi+Institute+Of+Technology&sxsrf](https://www.google.com/search?q=Green+Audit+Report+Nitte+Meenakshi+Institute+Of+Technology&sxsrf)
- Ribeiro, J.M.P., Barbosa, S.B., Casagrande, J.L., Sehnem, S., Berchin, I.I., da Silva, C.G., da Silveira, A.C.M., Zimmer, G.A.A., Faraco, R.A. and de Andrade Guerra, J.B.S. 2017. Promotion of sustainable development at universities: The adoption of green campus strategies at the University of Southern Santa Catarina, Brazil. Springer Nature, Handbook of Theory and Practice of Sustainable Development in Higher Education. pp. 471-486.
- Satean, G. 2017. The need to go beyond “Green University” ideas to involve the community at Naresuan University, Thailand. Springer Nature, Sustainability Through Innovation in Product Life Cycle Design. pp. 841-857.
- SCSR, 2018. Sustainability Curriculum in UK University Sustainability Reports by Katerina Kosta, Springer, Implementing Sustainability in the Curriculum of Universities. World Sustainability Series, pp. 79-97.
- Staniskis, J.K. and Katiliute, E. 2016. Principles, implementation and results of the new assessment and accreditation system “Engineering education for sustainable industries”. Springer Nature, New Developments in Engineering Education for Sustainable Development. pp. 283-294.
- Suwartha, N. and Sari, R.F. 2013. Evaluating UI Green Metric as a tool to support green universities development: Assessment of the year 2011 Ranking. *Journal of Cleaner Production* **61**: 46–53.
- Verma, S., Ahmad, M. and Parwal, R. 2012. Green audit - A Boom to human civilization. *International Journal of Trends in Economics Management & Technology*, **1** (6): 82-86.
- Venkataraman, K. 2009. India’s Biodiversity Act 2002 and its role in conservation. *Tropical Ecology* **50** (1): 23-30.



## Certificates of Nature Science Foundation

## Comibatore, Tamil Nadu

1. ISO Certificate (QMS 9001:2015)
2. ISO Certificate (EMS 14001:201
3. ISO Certificate (OHSMS 45001:2018)
4. ISO Certificate (EnMS 50001:2018)
5. MSME Certificate
6. NGO Darpan NITI Aayog
7. 12A Certificate
8. 80G Certificate
9. 10AC Certificate

**QUALITY MANAGEMENT SYSTEM**

# Certificate of Registration



This is to Certify That The Quality Management System of



## NATURE SCIENCE FOUNDATION

LIG II, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641004, TAMILNADU, INDIA.

has been assessed and found to conform to the requirements of

# ISO 9001:2015

for the following scope :

PROVIDING ENVIRONMENT, ENERGY, GREEN AND HYGIENE AUDITS  
TO ACADEMIC INSTITUTIONS AND ORGANISATIONS  
AS PER THE OWN CHECKLIST AND AWARDS TO  
MERITORIOUS CANDIDATES.

<b>Certificate No</b>	<b>20DQHY90</b>	
Initial Registration Date	: 08/01/2021	Issuance Date : 08/01/2021
Date of Expiry*	: 07/01/2024	
1st Surve. Due	: 08/12/2021	2nd Surve. Due : 08/12/2022

**DIRECTOR**

**ROHS Certification Pvt. Ltd.**

408, Madhusan Building, 55, Nehru Place, New Delhi - 110 019, India  
phone : +91.11.41525522 | e-mail : info@rohs-certification.co.in | website : www.rohs-certification.co.in  
The Registration is not a Product Quality Certificate, \*Subject to successful completion of surveillance audits. Visit for verification on www.rohs-certification.co.in  
Certificate is the property of ROHS and return when demanded



**eiāci**  
مركز الإمارات العالمي للاعتماد  
Emirates International Accreditation Centre  
035-CB-QMS

# Certificate of Registration



This is to Certify That The Environmental Management System of



## NATURE SCIENCE FOUNDATION

LIG II, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004,  
TAMILNADU, INDIA.

has been assessed and found to conform to the requirements of

# ISO 14001:2015

for the following scope :

PROVIDING CONSULTANCY SERVICES FOR ENVIRONMENT, ENERGY, GREEN, HYGIENE, SOIL AND WATER, WASTE MANAGEMENT, BIOMEDICAL WASTE MANAGEMENT, E-WASTE MANAGEMENT, PLASTIC WASTE MANAGEMENT AND ACADEMIC AND ADMINISTRATIVE AUDITS TO EDUCATIONAL INSTITUTIONS AND INDUSTRIAL SECTORS AS PER THE OWN CHECKLISTS, START UP THE INTERNATIONAL ECO CLUB STUDENTS CHAPTER, OFFERING LEAD AUDITOR COURSE ON ENERGY AND ENVIRONMENT, AWARDS TO MERITORIOUS CANDIDATES.

<b>Certificate No</b>	<b>22DEJI67</b>		
Initial Registration Date	: 21/05/2022	Issuance Date	: 21/05/2022
Date of Expiry*	: 20/05/2025		
1st Surve. Due	: 21/04/2023	2nd Surve. Due	: 21/04/2024



  
DIRECTOR

**ROHS Certification Pvt. Ltd.**

B-7, 1st Floor, Sector-2 Noida, Gautam Budh Nagar, UP-201301

e-mail : [info@rohs-certification.co.in](mailto:info@rohs-certification.co.in) | website : [www.rohs-certification.co.in](http://www.rohs-certification.co.in)

The Registration is not a Product Quality Certificate. \*Subject to successful completion of surveillance audits. Visit for verification on [www.rohs-certification.co.in](http://www.rohs-certification.co.in)  
Certificate is the property of ROHS and return when demanded



**eiāci**  
مركز الاعتمادات الدولية  
Emirates International Accreditation Centre  
CB-EMS-035





**QCS** MANAGEMENT PVT. LTD.  
MANAGEMENT SYSTEMS CERTIFICATION

## *Certificate of Registration*

**ISO 45001:2018 (Occupational Health & Safety Management System)**

### **NATURE SCIENCE FOUNDATION**

ADDRESS: NO. 2669, LIG-II, GANDHI MANAGAR PEELAMEDU COIMBATORE - 641 004 TAMIL NADU, INDIA.

#### **Scope of Certification:**

PROVIDING TRAINING AND AUDITING SERVICES IN THE FIELD OF GREEN CAMPUS, ENVIRONMENT, ENERGY, OCCUPATIONAL HEALTH AND SAFETY, HYGIENE AND WASTE MANAGEMENT AT EDUCATIONAL INSTITUTES AND INDUSTRIAL SECTOR.

Certificate Number : QCS/EUAS/OHS/002

Issue Date : 03/08/2022  
Expiration Date : 02/08/2023

1<sup>ST</sup> Surveillance Audit Within : 02/07/2023  
2<sup>ND</sup> Surveillance Audit Within : 02/07/2024  
Re-certification Due Date : 02/08/2025



Partha Bagchi  
(Managing Director)

Validity of this Certificate is subject to Surveillance Audits to be conducted before scheduled due dates of surveillance audits as mentioned on the certificate, failing which the certificate will stand to be withdrawn and need to be treated as an initial certification process to reactivate its continuity on the register of EUAS and QCS . This Certificate is valid when confirmed by data listed on the (Euro Universal Accreditation Systems) EUAS" [www.euas-ac.org](http://www.euas-ac.org). The authenticity & validity of this certificate may be re-affirmed by referring to our company website - [www.qcspl.com](http://www.qcspl.com) . Lack of fulfillment of conditions as set out on the 'Certification Contract' (Annex 13) may render this certificate invalid. Any alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law. This certificate remains the property of QCS and to be returned on request.

REGISTERED OFFICE: 37E/1(310) 2<sup>ND</sup> STREET, MODERN PARK, GREENAGE APARTMENT - 2<sup>ND</sup> FLOOR,  
SANTOSH PUR, KOLKATA - 700075, WEST BENGAL, INDIA.  
Email: [info@qcspl.com](mailto:info@qcspl.com). Call: +91 8697724963, +91 8902447427. Website: [www.qcspl.com](http://www.qcspl.com)



## Certificate of Registration

This is to certify that

### NATURE SCIENCE FOUNDATION

LIG II, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004,  
TAMILNADU, INDIA.

has been independently assessed by QRO  
and is compliant with the requirement of:

**ISO 50001:2018**

### Energy Management Systems

For the following scope of activities:

PROVIDING CONSULTANCY SERVICES FOR ENVIRONMENT, ENERGY, GREEN, HYGIENE, SOIL AND WATER, WASTE MANAGEMENT, BIOMEDICAL WASTE MANAGEMENT, E-WASTE MANAGEMENT, PLASTIC WASTE MANAGEMENT AND ACADEMIC AND ADMINISTRATIVE AUDITS TO EDUCATIONAL INSTITUTIONS AND INDUSTRIAL SECTORS AS PER THE OWN CHECKLISTS, START UP THE INTERNATIONAL ECO CLUB STUDENTS CHAPTER, OFFERING LEAD AUDITOR COURSE ON ENERGY AND ENVIRONMENT, AWARDS TO MERITORIOUS CANDIDATES.

Date of Certification: 9th August 2022  
1<sup>st</sup> Surveillance Audit Due: 8th August 2023

2<sup>nd</sup> Surveillance Audit Due: 8th August 2024  
Certificate Expiry: 8th August 2025

**Certificate Number: 305022080903EN**



*Chunankh...*  
Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit.  
(In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn).

**The Validity of this certificate can be verified at [www.qrocert.org](http://www.qrocert.org)**

This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

**India Office : QRO Certification LLP**

142, IIInd Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)

Website : [www.qrocert.org](http://www.qrocert.org), E-mail : [info@qrocert.org](mailto:info@qrocert.org)

UDYAM REGISTRATION NUMBER		UDYAM-TN-03-0073706																												
NAME OF ENTERPRISE		M/S NATURE SCIENCE FOUNDATION																												
TYPE OF ENTERPRISE *		MICRO																												
MAJOR ACTIVITY		SERVICES																												
SOCIAL CATEGORY OF ENTREPRENEUR		GENERAL																												
NAME OF UNIT(S)		<table border="1"> <thead> <tr> <th>S.No.</th> <th colspan="4">Name of Unit(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td colspan="4">Green Campus, Energy and Environment Management Audits</td> </tr> </tbody> </table>				S.No.	Name of Unit(s)				1	Green Campus, Energy and Environment Management Audits																		
S.No.	Name of Unit(s)																													
1	Green Campus, Energy and Environment Management Audits																													
OFFICIAL ADDRESS OF ENTERPRISE		<table border="1"> <thead> <tr> <th>Flat/Door/Block No.</th> <th>LIG-IL,2669</th> <th>Name of Premises/ Building</th> <th colspan="2">GANDHIMAA NAGAR</th> </tr> </thead> <tbody> <tr> <td>Village/Town</td> <td>Gandhimsanagar S.O</td> <td>Block</td> <td colspan="2">LIG-II</td> </tr> <tr> <td>Road/Street/Lane</td> <td>Peelamedu</td> <td>City</td> <td colspan="2">Coimbatore South</td> </tr> <tr> <td>State</td> <td>TAMIL NADU</td> <td>District</td> <td colspan="2">COIMBATORE , Pin 641004</td> </tr> <tr> <td>Mobile</td> <td>9566777255</td> <td>Email:</td> <td colspan="2">chairmannsf@gmail.com</td> </tr> </tbody> </table>				Flat/Door/Block No.	LIG-IL,2669	Name of Premises/ Building	GANDHIMAA NAGAR		Village/Town	Gandhimsanagar S.O	Block	LIG-II		Road/Street/Lane	Peelamedu	City	Coimbatore South		State	TAMIL NADU	District	COIMBATORE , Pin 641004		Mobile	9566777255	Email:	chairmannsf@gmail.com	
Flat/Door/Block No.	LIG-IL,2669	Name of Premises/ Building	GANDHIMAA NAGAR																											
Village/Town	Gandhimsanagar S.O	Block	LIG-II																											
Road/Street/Lane	Peelamedu	City	Coimbatore South																											
State	TAMIL NADU	District	COIMBATORE , Pin 641004																											
Mobile	9566777255	Email:	chairmannsf@gmail.com																											
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE		28/11/2017																												
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS		12/03/2020																												
NATIONAL INDUSTRY CLASSIFICATION CODE(S)		<table border="1"> <thead> <tr> <th>SNo.</th> <th>NIC 2 Digit</th> <th>NIC 4 Digit</th> <th>NIC 5 Digit</th> <th>Activity</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>69 - Legal and accounting activities</td> <td>6920 - Accounting, bookkeeping and auditing activities; tax consultancy</td> <td>69201 - Accounting, bookkeeping and auditing activities</td> <td>Services</td> </tr> <tr> <td>2</td> <td>85 - Education</td> <td>8542 - Cultural education</td> <td>85420 - Cultural education</td> <td>Services</td> </tr> <tr> <td>3</td> <td>85 - Education</td> <td>8549 - Other education n.e.c.</td> <td>85499 - Other educational services n.e.c.</td> <td>Services</td> </tr> </tbody> </table>				SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity	1	69 - Legal and accounting activities	6920 - Accounting, bookkeeping and auditing activities; tax consultancy	69201 - Accounting, bookkeeping and auditing activities	Services	2	85 - Education	8542 - Cultural education	85420 - Cultural education	Services	3	85 - Education	8549 - Other education n.e.c.	85499 - Other educational services n.e.c.	Services					
SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity																										
1	69 - Legal and accounting activities	6920 - Accounting, bookkeeping and auditing activities; tax consultancy	69201 - Accounting, bookkeeping and auditing activities	Services																										
2	85 - Education	8542 - Cultural education	85420 - Cultural education	Services																										
3	85 - Education	8549 - Other education n.e.c.	85499 - Other educational services n.e.c.	Services																										
DATE OF UDYAM REGISTRATION		26/02/2022																												

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing - 26/02/2022

For any assistance, you may contact:

1. District Industries Centre: COIMBATORE (TAMIL NADU)
2. MSME-DI: CHENNAI (TAMIL NADU)

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.champions.gov.in](http://www.champions.gov.in)

Follow us @minmsme & @msmechampions

**BE A CHAMPION with the Ministry of MSME**

  NITI Aayog, Government of India

Home About Us NGO Directory Search NGOs Report Guidelines Circulars Help Apply Grant Blacklisted NGOs

Login/Register

# NGO DARPAN

In order to strengthen services of the portal, Government has decided to make PAN Number of VOs/NGOs mandatory.

Please Update Your Profile

Welcome, Nature Science Foundation

Your Unique Id: TN/2018/0187711



PROCEEDINGS OF THE COMMISSIONER OF INCOMETAX (EXEMPTIONS),  
III FLOOR, ANNEXE BLDG, NO.121, MAHATMA GANDHI SALAI, CHENNAI-34

Present : G.M.DOSS, I.R.S  
Commissioner of Income Tax (Exemptions)

\*\* URNo. AACTN7857J/05/18-19/T-1105

Dated:03/09/2018

Sub: Registration u/s. 12AA of the Income tax Act 1961 - in the case of

**"Nature Science Foundation"**

LIG-II, 2669, Gandhima Nagar, Peelamedu, Coimbatore – 641 004.

Ref : Application in form 10 A filed on 28/03/2018

**ORDER UNDER SECTION 12AA OF THE INCOME TAX ACT 1961.**

1. The above Trust/Society/Association/ Company/ others/, bearing PAN AACTN7857J was constituted by Trust Deed / Memorandum of Association dated 29/11/2017 registered with Sub-Registrar's Office/ Registrar of Societies/Registrar of Companies/others on 29/11/2017.
2. ~~The Trust Deed / Memorandum of Association has subsequently been amended / modified / altered by a Codicil / Supplementary Deed / Amendment Deed / Alteration to Memorandum of Association/others dated XX/XX duly registered on XX/XX.~~
3. The above TRUST filed an application seeking Registration u/s 12 AA of the Income tax Act, 1961.
4. On going through the objects of the TRUST and its proposed activities as enumerated in the Trust Deed / Memorandum of Association, I am satisfied about the genuineness of the TRUST as on date.
5. The application has been entered at Sl.No.1105 maintained in this office. The above Trust is accordingly registered as a PUBLIC CHARITABLE TRUST u/s 12 AA of the Income Tax Act, 1961 with effect from 29/11/2017.
6. It is hereby clarified that the Registration so given to the Trust/Institution is not absolute. Subsequently, if it is found that the activities of the Trust/Institution are not genuine or are not being carried out in accordance with the objects and clauses of the Trust Deed / Memorandum of Association submitted at the time of registration or modified with the approval of the Commissioner of Income-tax (Exemptions), Chennai or there is a violation of the provisions of Section – 13, the Registration so granted shall be cancelled as provided u/s 12 AA (3) or 12AA(4) of the Income Tax Act. Further, this approval is also subject to the Trust/Society/Association/Company/ Others/ complying to the provisions of the proviso to sec 2(15) of the Income Tax Act 1961.
7. Granting of Registration u/s 12AA does not confer any automatic exemption of income from taxation. The Trust/Institution should conform to the parameters laid down in Sections 11, 12, 13 and 115 BBC of the I.T. Act, 1961, to claim exemption of its income on year to year basis before the Assessing Officer.

\*\* This Unique Registration No. URNo. AACTN7857J/05/18-19/T-1105 Should be mentioned in all your future correspondence.



Sd/-  
(G.M.DOSS, I.R.S)  
Commissioner of Income-tax(Exemptions), Chennai.

Copy to:

1. The Assessee.
2. The ACIT(Exemptions), Coimbatore Circle.
3. Office Copy.

//CERTIFIED TRUE COPY//

(N SRINIVASA RAO)  
Asst. Commissioner of Income-tax (H.Qrs)(Exemptions),  
Chennai.

GOVERNMENT OF INDIA  
INCOMETAX DEPARTMENT

OFFICE OF THE COMMISSIONER OF INCOME TAX (EXEMPTIONS)  
Aayakar Bhawan, Annexe III Floor, 121 M.G. Road, Chennai 600 034

URNo. AACTN7857J/05/18-19/T-1105/80G

Date: 10.04.2019

Name of the Trust-/Society /Company/Institution : NATURE SCIENCE FOUNDATION  
Address : LIG II 2669, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004  
PAN : AACTN7857J  
Date of Application : 12.11.2018

Received  
Rajiv S. Ponnudurai  
17/07/2019

**APPROVAL UNDER SECTION 80G(5)(vi) OF THE INCOME TAX ACT, 1961**

The aforesaid Trust-/Society/Company/Institution has been registered u/s.12AA of the Income Tax Act with effect from 29.11.2017 vide AACTN7857J/05/18-19/T-1105 dated 03.09.2018. It is certified that donation made to NATURE SCIENCE FOUNDATION at LIG II 2669, GANDHIMAA NAGAR, PEELAMEDU, COIMBATORE - 641 004 shall qualify for deduction u/s 80G(5)(vi) of the Income Tax Act, 1961, subject to the fulfillment of conditions laid down in clauses [i] to [v] of sub-section (5) of section 80G of the I.T Act, 1961.

- This approval shall be valid in perpetuity with effect from A.Y. 2019-20 unless specifically withdrawn. The details and validity of the certificate is available @ office.incometaxindia.gov.in
- The Return of Income along with the Income & Expenditure Account, Receipts and Payments Account and Balance Sheet should be submitted annually to the Assessing Officer having jurisdiction over the case.
- No change in the Trust Deed/Memorandum of Association shall be effected without the prior approval of the undersigned i.e. **Commissioner of Income Tax (Exemptions), Chennai**.
- Every receipt issued to a donor shall bear the **Unique Registration Number** i.e. **URNo. AACTN7857J/05/18-19/T-1105/80G** and date of this order i.e. **10.04.2019**.
- Under the provisions of section 80G(5)(i)(a), the institution/fund registered u/s.12A, u/s.12AA(1)(b) or approved u/s.10(23C), 10(23C)(vi)(via), etc., shall have to maintain separate books of accounts in respect of any business activity carried on and shall intimate this office within one month about commencement of such activity.



Sd/-  
(G.M.DOSS, I.R.S)  
Commissioner of Income Tax (Exemptions)  
Chennai.

Copy to:

- The applicant
- Guard File
- The DCIT(Exemptions) Coimbatore Circle.

//Certified True Copy//

(N. SRINIVASA RAO)  
Assistant Commissioner of Income-tax (H.qrs)  
(Exemptions), Chennai.


**FORM NO. 10AC**

(See rule 17A/11AA/2C)

Order for registration

1	PAN	AACTN7857J
2	Name	NATURE SCIENCE FOUNDATION
2a	Address	
	Flat/Door/Building	LIG-II, 2669
	Name of premises/Building/Village	GANDHIMAA NAGAR.
	Road/Street/Post Office	Coimbatore South
	Area/Locality	COIMBATORE
	Town/City/District	Gandhimasnagar S.O
	State	Tamil Nadu
	Country	INDIA
	Pin Code/Zip Code	641004
3	Document Identification Number	AACTN7857JE2021501
4	Application Number	739995830271021
5	Unique Registration Number	AACTN7857JE20215
6	Section/sub-section/clause/sub-clause/proviso in which registration is being granted	01-Sub clause (i) of clause (ac) of sub-section (1) of section 12A
7	Date of registration	03-11-2021
8	Assessment year or years for which the trust or institution is registered	From AY 2022-23 to AY 2026-2027
9	Order for registration:	
	a. After considering the application of the applicant and the material available on record, the applicant is hereby granted registration with effect from the assessment year mentioned at serial no 8 above subject to the conditions mentioned in row number 10.	
	b. The taxability, or otherwise, of the income of the applicant would be separately considered as per the provisions of the Income Tax Act, 1961.	
	c. This order is liable to be withdrawn by the prescribed authority if it is subsequently found that the activities of the applicant are not genuine or if they are not carried out in accordance with all or any of the conditions subject to which it is granted, if it is found that the applicant has obtained the registration by fraud or misrepresentation of facts or it is found that the assessee has violated any condition prescribed in the Income Tax Act, 1961.	
10	Conditions subject to which registration is being granted	
	The registration is granted subject to the following conditions:-	

	o. This certificate cannot be used as a basis for claiming non-deduction of tax at source in respect of investments etc. relating to the Trust/ Institution.
	p. All the Public Money so received including for Corpus or any contribution shall be routed through a Bank Account whose number shall be communicated to Office of the Jurisdictional Commissioner of Income Tax.
	q. The applicant shall comply with the provisions of the Income Tax Act, 1961 read with the Income Tax Rules, 1962.
	r. The registration and the Unique registration number has been instantly granted and if, at any point of time, it is noticed that form for registration has not been duly filled in by not providing, fully or partly, or by providing false or incorrect information or documents required to be provided under sub-rule (1) or (2) of rule 17A or by not complying with the requirements of sub- rule (3) or (4) of the said rule, the registration and Unique Registration Number (URN), shall be cancelled and the registration and URN shall be deemed to have never been granted or issued.
Name and Designation of the Registration Granting Authority	Principal Commissioner of Income Tax/ Commissioner of Income Tax  (Digitally signed)





## **Certificates of Green Campus Auditors**

1. ISO Environment Management System (14001:2015) of Mrs. S. Rajalakshmi, Chairman of NSF.
2. ISO Environment Management System (14001:2015 TUV NORD) of Dr. A. Geethakarathi, NSF Environment Auditor.
3. Indian Green Building Council (IGBC AP) Accredited Professional of Dr. B. Mythili Gnanamangai, Vice-Chairman of NSF.
4. Associated Chambers of Commerce and Industry of India (ASSOCHAM), of Dr. B. Mythili Gnanamangai, Vice-Chairman of NSF.
5. Botanist and Subject Expert of Plant Taxonomy of Dr. D. Vinoth kumar, Joint Director of NSF.
6. Bureau of Energy Efficiency (BEE) and National Productivity Council of Er. N. Dineshkumar and Dr. N. Balasubramanian, Energy Auditors of NSF.



## Certificate of Training

TNV hereby certifies that

**S. Rajalakshmi**

has successfully completed the 5 days

Auditor / Lead Auditor Training Course which meets the training requirements of the Exemplar Global and has been declared as competent in the following competency units

- EM: Environmental Management System
- AU: Management Systems Auditing
- TL: Leading Management Systems Audit Teams

**ISO 14001:2015**

Issue Date: 17<sup>th</sup> Jun. 2021

Training Date : 20<sup>th</sup> to 24<sup>th</sup> May. 2021

Certificate Number : 2106170721010105

Authorised Signatory  
(Pragyesh Singh)

**This course is certified by Exemplar Global vide registration number TN006669**

*Note: The course conforms to the principles and practice of audits of Management Systems for compliance with standards. This certificate remains the property of TNV and this certificate is recognized by Exemplar Global. For verification of this certificate, please write to Mail: [info@isoindia.org](mailto:info@isoindia.org)*



**PR315: ISO 14001:2015 Lead Auditor  
(Environmental Management Systems)  
Training course**

**Certificate of Achievement**

**Geethakarathi Alagarsamy**

has successfully completed the above mentioned course and examination.

23rd - 27th March 2019

COIMBATORE, INDIA

Certificate No. 35242817 02

Delegate No. 171136

A handwritten signature in black ink, appearing to be "G. Alagarsamy".

for TÜV NORD CERT GmbH

Essen, 2019-04-26

The course is certified by CQI and IRCA (Certification No. 18125). The learner meets the training requirements for those seeking certification under the IRCA EMS Auditor certification scheme.

TÜV NORD CERT GmbH

Langemarckstraße 20

45141 Essen

[www.tuev-nord-cert.com](http://www.tuev-nord-cert.com)





## Medicinal Plants Farms

1999-2000

Kuppayee Thottam, Vadugampalayam Privu,  
Gobi.

### ATTENDANCE CERTIFICATE FOR INSTITUTIONAL TRAINING

This is to Certify that Mr D. VINOCHKUMAR

of B.Sc., BOTANY FINAL YEAR of

Chikkaiah Naicker College, Erode-4. Has undergone institutional training in Plantation, Cultivation

and Collection of medicinal plants for 14 days from 18.12.99 to

31.12.99

at Gobi.

Station : GOBI

Date : 31.12.99



*M. R. Saravanan*

SIGNATURE OF THE CONCERNED AUTHORITY  
M. R. SARVANAN, GOBI



## BUREAU OF ENERGY EFFICIENCY



Examination Registration No. : **EA-14056** Serial Number **9176**

Certificate Registration No. : **9176**

### Certificate For Certified Energy Manager

This is to certify that Mr./Mrs./Ms. **Dinesh Kumar D**  
Son/Daughter of Mr./Mrs. **R M Dhanasekaran** who has passed the National Examination for certification of energy manager held in the month of **October 2011** is qualified as certified energy manager subject to the provisions of Bureau of Energy Efficiency (Certification Procedures for Energy Managers) Regulations, 2010.

This certificate shall be valid for five years with effect from the date of award of this certificate and shall be renewable subject to attending the prescribed refresher training course once in every five years.

His /Her name has been entered in the Register of certified energy manager at Serial Number **9176** being maintained by the Bureau of Energy Efficiency under the aforesaid regulations.

Mr./Mrs./Ms. **Dinesh Kumar D** is deemed to have qualified for appointment or designation as energy manager under clause (f) of Section 14 of the Energy Conservation Act, 2001 (Act No.52 of 2001).



Given under the seal of the Bureau of Energy Efficiency, this **7<sup>th</sup>** day of **February, 2013**

Secretary  
Bureau of Energy Efficiency  
New Delhi

Digitally Signed: RAKESH KUMAR RAI  
Sun Mar 01 10:58:55 IST 2020  
Secretary, BEE New Delhi

Dates of attending the refresher course	Secretary's Signature	Dates of attending the refresher course	Secretary's Signature
<b>22.12.2019</b>			

Regn. No. EA-7391		Certificate No. 5093
<b>National Productivity Council</b> (National Certifying Agency)		
<b><u>PROVISIONAL CERTIFICATE</u></b>		
This is to certify that Mr. / Ms. <u>N. Balasubramaniam</u> son / daughter of Mr. <u>M. Nanjukkuttigounder</u> has passed the National Certification Examination for Energy Auditors held in December - 2009, conducted on behalf of the Bureau of Energy Efficiency, Ministry of Power, Government of India.		
He / She is qualified as Certified Energy Manager as well as Certified Energy Auditor.		
He / She shall be entitled to practice as Energy Auditor under the Energy Conservation Act 2001, subject to the fulfillment of qualifications for the Accredited Energy Auditor and issue of certificate of Accreditation by the Bureau of Energy Efficiency under the said Act.		
This certificate is valid till the issuance of an official certificate by the Bureau of Energy Efficiency.		
Place : Chennai, India		
Date : 11 <sup>th</sup> February 2010		Controller of Examination

	
<b>ऊर्जा दक्षता ब्यूरो</b> <b>BUREAU OF ENERGY EFFICIENCY</b> विद्युत मंत्रालय, भारत सरकार MINISTRY OF POWER, GOVERNMENT OF INDIA	
प्रमाणित किया जाता है कि	
श्री/श्रीमती <u>दिनेश कुमार</u> ने ऊर्जा संरक्षण भवन निर्माण संहिता के लिए <u>7 दिसंबर '16</u> से <u>8 दिसंबर '16</u> तक एमएनआईटी / सीईपीटी / आईआईआईटी द्वारा आयोजित मास्टर ट्रेनर सर्टिफिकेट कार्यक्रम को सफलता पूर्वक सम्पन्न कर लिया है।	
This is to certify that	
Shri/Smt. <u>Dinesh Kumar</u> has successfully completed the Master Trainer Certificate Programme conducted by MNIF / CEPT / IIIT from <u>7 December '16</u> to <u>8 December '16</u> for the Energy Conservation Building Code.	
New Delhi, <u>07 JUL 2017</u>	 महानिदेशक Director General

